

# Public Consultation Meeting: Proposed Amended Rule 444 – Open Burning

Newport Beach	El Segundo
June 13th	June 14th



## Background

- Newport Beach request to the Coastal Commission to remove fire rings
- Commission staff cited exemption in SCAQMD rules as justification to deny request
- Large number of fire rings close to where people live, work, & play
- Wood smoke poses a localized health impact on beach goers and nearby residents

Beach Name	City	No. of Fire Rings
LOS ANGELES COUNTY		Total = 79
Dockweiler State Beach	Playa del Rey	73
Cabrillo Beach	San Pedro	6
ORANGE COUNTY		Total = 687
Bolsa Chica State Beach	Huntington Beach	178
Huntington City Beach	Huntington Beach	112
Huntington State Beach	Huntington Beach	240
Balboa Beach	Balboa/Newport Beach	33
Corona Del Mar State Beach	Newport Beach	27
Aliso Beach County Park	South Laguna	7
Doheny State Beach	Dana Point	72
Capistrano Beach Park	Capistrano	4
North Beach	San Clemente	5
San Clemente City Beach	San Clemente	9

\* Not intended to be an all inclusive list.

3



## Agency Positions on Wood Smoke

- California Air Resources Board
  - Wood smoke a serious threat to public health
  - Aggravates lung and heart disease
  - Can cause 10% increase in children's hospital admissions for respiratory symptoms
- U.S. Environmental Protection Agency
  - Wood smoke can affect everyone
    - Children, persons with existing health conditions most vulnerable
  - Health risks can be reduced by switching to gaseous fuels

## PM Health Guidance

- National Ambient Air Quality Standards for PM<sub>2.5</sub>:
  - Annual Average: 12  $\mu\text{g}/\text{m}^3$
  - 24 Hour Average: 35  $\mu\text{g}/\text{m}^3$
- Guidance for Public Health Officials for Wildfire Smoke
  - Recommended protective measures based upon shorter term PM exposure
  - Includes Time frames as short as 1 to 3 hours for both PM<sub>2.5</sub> and PM<sub>10</sub>:
    - 89 - 138  $\mu\text{g}/\text{m}^3$  - Unhealthy for Sensitive Groups (USG)
    - 139 - 351  $\mu\text{g}/\text{m}^3$  - Unhealthy - "consider canceling public events, based on public health and travel considerations"
    - 352 - 526  $\mu\text{g}/\text{m}^3$  - Very Unhealthy

Lipsett, Michael and Barbara Materna, *Wildfire Smoke A Guide for Public Health Officials*, 2008.

## Beach Fire Pit Emissions

- Assessed the emissions of a single fire ring for one evening
  - One fire event assumed to burn 2 bundles of wood (approx. 32 lbs total)
  - Assumed CARB fireplace emission factor
  - Compared emissions to that of an average on-road 2013 Heavy Duty Diesel Vehicle (HDDV)
- **One fire pit in one evening estimated to emit as much PM<sub>2.5</sub> as one Heavy-Duty Diesel Truck driving 564 miles**

## SCAQMD Monitoring Studies

- Purpose
  - Assess potential for human exposure to wood smoke from beach fires
- Approach
  - Deploy a combination of monitoring technologies and sampling strategies
- Other Considerations
  - Shifting meteorology, variable activity levels, technology limitations

# Gradient Surveys

## Objective:

Assess the PM impacts of the Beach Fires at multiple locations downwind over the course of an evening

## Methods:

TSI Inc. DustTrak DRX – Measures PM<sub>1</sub>, PM<sub>2.5</sub>, PM<sub>10</sub> on a second-by-second basis



Advantages: small, portable, high time resolution, good survey tool for relative measurements

Limitations: not certified to federal reference method criteria. A drying inlet implemented to remove humidity effects




## Preliminary Results: Corona Del Mar 3/30/13 10 Minute Average PM<sub>10</sub> Relative to Background Levels






### Preliminary Results: Huntington Beach 4/13/13 10 Min Average PM<sub>2.5</sub> Relative to Background



### Preliminary Results: Huntington Beach 4/27/13



### Preliminary Results: Huntington Beach 4/27/13




### Preliminary Results: Doheny State Beach 06/01/13 20 minute Average PM<sub>2.5</sub> Ratio to Background





## Preliminary Results: Doheny State Beach 06/01/13



## Fixed-Site Monitoring

### Objective:

Assess the PM impacts of the Beach Fires at a fixed locations, continuously over time

### Methods:

**E-BAM – Measures PM2.5 on an hourly basis**



Advantages: portable, low power, same measurement principle as a Federal Equivalent Method



Limitations: less accurate at low levels


**Aethalometer – Measures Black Carbon, an indicator of combustion, on a continuous basis**

**Condensation Particle Counter (CPC) - Measures Ultrafine particles, indicative of nearby sources of combustion**









## Filter analysis

Corona del Mar (3/30 to 4/19), Huntington Beach (4/24 to current)

- **PM<sub>2.5</sub> Mass (24 hour average) – Daily Samples**
  - All below 12.5 ug/m<sup>3</sup>, under the 24 hour NAAQS level (35 ug/m<sup>3</sup>)
  - One day nearly 40 ug/m<sup>3</sup>, day had very high gusty winds
- **PM<sub>10</sub> mass (4 hour sample, 4/6) - One Sample Only**
  - Sample collected from 5 to 9pm with burning activity shown to have PM<sub>10</sub> mass concentration of 95 ug/m<sup>3</sup>.
  - 30% higher concentration than sample collected from 1 to 5pm
  - Elevated levels of Potassium, an indicator for wood smoke

## Preliminary Air Monitoring Conclusions

- Beach fire activity is impacting PM2.5 levels at the beach and extending into neighboring communities
- Concentrations can be over 10 times background levels for short periods of time in beach parking areas, up to 3 times background at residential locations
- 1-hour average PM concentrations can exceed public health guidance levels
- Some measurements are higher than observed across the Basin over a whole year

## Proposed Rule 444 Amendments

- Initial proposal prohibited all beach burning (March 21, 2013)
- Revised Language released on June 6, 2013
  - Provision for cities to remove rings if they are declared to be a public nuisance
  - All rings more than 700 feet from residences are allowed
  - Spacing requirements if within 700 feet
    - 100 feet apart, or
    - 50 feet apart if 15 or less pits in a city
  - No-burn days if high particulate levels are forecast in that coastal area
  - Only applicable to pits on the sand

## Impacts of Revised Proposal

- Provides additional authority and discretion to cities to remove fire rings through a nuisance declaration
- If a city does not make a nuisance declaration
  - All fire rings outside 700 ft. residential buffer zone are still allowed at any spacing
  - Fire rings within 700 ft. zone subject to spacing requirements (50 or 100 ft.)
  - Burning is subject to coastal “no-burn” days (once in last 3 years)
- Net effect:
  - Huntington State Beach: ~30 rings would be moved or spaced out
  - Doheny State Beach: ~20 of 60 rings would be moved or spaced out
  - Aliso, San Clemente: slight shifting of rings would meet requirements

## Next steps

- Seek public input
- Continue field sampling as necessary
- Continue to report findings to public as they become available
- Continue to work with potentially impacted cities and state parks
- Demonstration project for propane and natural gas beach fire options
- Public Hearing scheduled for July 12, 2013

