

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 Copley Dr., Diamond Bar, CA 91765-4182

MONITORING & ANALYSIS
REPORT OF LABORATORY ANALYSIS

TO: Cher Snyder **LABORATORY NO:** 1602929
Assistant DEO
Engineering and Compliance **REFERENCE NO:** GC6-3-73
SAMPLE DESCRIPTION: Triggered Samples **DATE SAMPLED:** 01/28/16
Canisters: 54575 54570 **DATE RECEIVED:** 01/29/16
E3838 E3376
53382 **DATE ANALYZED:** 02/04/16
SAMPLE LOCATION: Highlands Community **ANALYZED BY:** Yang Song
Pool Parking Lot **REQUESTED BY:** Sumner Wilson

ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS

Volatile Organic Compounds (VOC) by Gas Chromatography(GC)
and Flame Ionization Detection (FID)

Note: See attached for speciated results.

Date Approved: 2/11/16

Approved By: Rudy Eden
Rudy Eden, Sr. Manager
Laboratory Services Branch
(909) 396-2391

LAB NO: 1602929
Location: Highlands Community

ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS

Quantitation of Organic Compounds by Gas Chromatography(GC) and
Flame Ionization Detection (FID)

Sample Date	01/28/16	01/28/16
Canister	54575	E3838
Sampling Location	Highlands Community	Ambient Air
	Pool	Pool
Total NMOC, ppbC	935	2250
		100-700 ppbC

Compound	Conc. (ppbv)	Conc. (ppbv)	Conc. (ppbv)
ethylene	0.1	0.2	0.7-4.1
acetylene	0.4	0.4	
propane	29	74	0.4-5.0
propylene	<0.1	<0.1	0.2-0.7
isobutane	3.4	8.7	0.2-0.9
n-butane	4.2	10	0.3-1.7
1-butene	<0.1	<0.1	0.1-0.3
trans-2-butene	<0.1	<0.1	
cis-2-butene	N.D.	<0.1	
isopentane	2.1	4.1	
1-pentene	<0.1	<0.1	
n-pentane	7.4	7.9	0.1-0.6
isoprene	<0.1	<0.1	
trans-2-pentene	N.D.	N.D.	
cis-2-pentene	N.D.	<0.1	
2,2-dimethylbutane	<0.1	<0.1	
cyclopentane	<0.1	0.2	
2,3-dimethylbutane	<0.1	0.1	
2-methylpentane	0.2	0.6	
3-methylpentane	0.1	0.3	
1-hexene	<0.1	<0.1	<0.1-0.1
n-hexane	0.3	0.6	0.1-0.2
methylcyclopentane	0.2	0.6	
2,4-dimethylpentane	<0.1	<0.1	
benzene	0.2	0.4	0.1-0.5
cyclohexane	0.2	0.5	
2-methylhexane	<0.1	0.1	
2,3-dimethylpentane	<0.1	<0.1	
3-methylhexane	<0.1	0.1	
2,2,4-trimethylpentane	<0.1	0.1	
n-heptane	<0.1	0.2	0.1-0.2
methylcyclohexane	0.2	0.5	

LAB NO: 1602929
Location: Highlands Community

ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS

Quantitation of Organic Compounds by Gas Chromatography(GC) and
Flame Ionization Detection (FID)

Sample Date	01/28/16	01/28/16
Canister	54575	E3838
Sampling Location	Highlands Community	Ambient Air
	Pool	Pool
Total NMOC, ppbC	935	2250
		100-700 ppbC

<u>Compound</u>	<u>Conc. (ppbv)</u>	<u>Conc. (ppbv)</u>	<u>Conc. (ppbv)</u>
2,3,4-trimethylpentane	<0.1	<0.1	
toluene	0.8	1.1	0.1-0.6
2-methylheptane	<0.1	<0.1	
3-methylheptane	<0.1	<0.1	
n-octane	<0.1	<0.1	<0.1-0.3
ethylbenzene	<0.1	<0.1	0.1-0.2
m+p-xylenes	<0.1	0.2	0.1-0.2
styrene	<0.1	<0.1	<0.1-0.2
o-xylene	<0.1	<0.1	0.1-0.2
n-nonane	<0.1	<0.1	<0.1-0.1
isopropylbenzene	<0.1	<0.1	
n-propylbenzene	N.D.	<0.1	
m-ethyltoluene	N.D.	<0.1	
p-ethyltoluene	<0.1	<0.1	
1,3,5-trimethylbenzene	N.D.	<0.1	
o-ethyltoluene	N.D.	<0.1	
1,2,4-trimethylbenzene	<0.1	<0.1	
n-decane	<0.1	<0.1	<0.1-0.1
1,2,3-trimethylbenzene	<0.1	<0.1	
m-diethylbenzene	<0.1	<0.1	
p-diethylbenzene	<0.1	<0.1	
n-undecane	<0.1	<0.1	<0.1
n-dodecane	<0.1	<0.1	<0.1

NMOC = Non-Methane Organic Compounds

N.D. = Not Detected

LAB NO: 1602929
Location: Highlands Community

ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS

Quantitation of Organic Compounds by Gas Chromatography(GC) and
Flame Ionization Detection (FID)

Sample Date	01/28/16	01/29/16
Canister	53382	54570
Sampling Location	Highlands Community Pool	Ambient Air
Total NMOC, ppbC	2420	3060

100-700 ppbC

<u>Compound</u>	<u>Conc. (ppbv)</u>	<u>Conc. (ppbv)</u>	<u>Conc. (ppbv)</u>
ethylene	<0.1	0.2	0.7-4.1
acetylene	0.3	0.4	
propane	80	103	0.4-5.0
propylene	<0.1	<0.1	0.2-0.7
isobutane	9.6	12	0.2-0.9
n-butane	11	14	0.3-1.7
1-butene	0.1	<0.1	0.1-0.3
trans-2-butene	<0.1	N.D.	
cis-2-butene	N.D.	<0.1	
isopentane	3.9	5.2	
1-pentene	<0.1	<0.1	
n-pentane	5.6	10	0.1-0.6
isoprene	<0.1	<0.1	
trans-2-pentene	N.D.	N.D.	
cis-2-pentene	N.D.	N.D.	
2,2-dimethylbutane	<0.1	0.1	
cyclopentane	0.2	0.3	
2,3-dimethylbutane	0.1	0.2	
2-methylpentane	0.6	0.8	
3-methylpentane	0.4	0.5	
1-hexene	<0.1	<0.1	<0.1-0.1
n-hexane	0.7	0.8	0.1-0.2
methylcyclopentane	0.6	0.8	
2,4-dimethylpentane	<0.1	<0.1	
benzene	0.3	0.4	0.1-0.5
cyclohexane	0.6	0.7	
2-methylhexane	0.1	0.2	
2,3-dimethylpentane	<0.1	<0.1	
3-methylhexane	0.1	0.2	
2,2,4-trimethylpentane	0.1	0.2	
n-heptane	0.2	0.3	0.1-0.2
methylcyclohexane	0.6	0.8	

LAB NO: 1602929
Location: Highlands Community

ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS

Quantitation of Organic Compounds by Gas Chromatography(GC) and
Flame Ionization Detection (FID)

Sample Date	01/28/16	01/29/16
Canister	53382	54570
Sampling Location	Highlands Community Pool	Highlands Community Pool
Total NMOC, ppbC	2420	3060

<u>Compound</u>	<u>Conc. (ppbv)</u>	<u>Conc. (ppbv)</u>	<u>Conc. (ppbv)</u>
2,3,4-trimethylpentane	<0.1	<0.1	
toluene	0.8	1.2	0.1-0.6
2-methylheptane	<0.1	<0.1	
3-methylheptane	<0.1	<0.1	
n-octane	<0.1	0.1	<0.1-0.3
ethylbenzene	<0.1	<0.1	0.1-0.2
m+p-xlenes	0.1	0.2	0.1-0.2
styrene	<0.1	<0.1	<0.1-0.2
o-xylene	<0.1	<0.1	0.1-0.2
n-nonane	<0.1	<0.1	<0.1-0.1
isopropylbenzene	<0.1	<0.1	
n-propylbenzene	<0.1	<0.1	
m-ethyltoluene	<0.1	<0.1	
p-ethyltoluene	<0.1	<0.1	
1,3,5-trimethylbenzene	<0.1	<0.1	
o-ethyltoluene	N.D.	N.D.	
1,2,4-trimethylbenzene	<0.1	<0.1	
n-decane	<0.1	<0.1	<0.1-0.1
1,2,3-trimethylbenzene	<0.1	<0.1	
m-diethylbenzene	<0.1	<0.1	
p-diethylbenzene	<0.1	<0.1	
n-undecane	<0.1	<0.1	<0.1
n-dodecane	<0.1	<0.1	<0.1

NMOC = Non-Methane Organic Compounds

N.D. = Not Detected

LAB NO: 1602929
Location: Highlands Community

ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS

Quantitation of Organic Compounds by Gas Chromatography(GC) and
Flame Ionization Detection (FID)

Sample Date	01/29/16	
Canister	E3376	
Sampling Location	Highlands Community	Ambient Air
	Pool Pool Parking Lot	
Total NMOC, ppbC	3060	100-700 ppbC

<u>Compound</u>	<u>Conc. (ppbv)</u>	<u>Conc. (ppbv)</u>
ethylene	<0.1	0.7-4.1
acetylene	0.4	
propane	100	0.4-5.0
propylene	<0.1	0.2-0.7
isobutane	12	0.2-0.9
n-butane	14	0.3-1.7
1-butene	<0.1	0.1-0.3
trans-2-butene	<0.1	
cis-2-butene	<0.1	
isopentane	5.2	
1-pentene	<0.1	
n-pentane	9.8	0.1-0.6
isoprene	<0.1	
trans-2-pentene	N.D.	
cis-2-pentene	N.D.	
2,2-dimethylbutane	0.1	
cyclopentane	0.3	
2,3-dimethylbutane	0.2	
2-methylpentane	0.1	
3-methylpentane	0.5	
1-hexene	<0.1	<0.1-0.1
n-hexane	0.8	0.1-0.2
methylcyclopentane	0.6	
2,4-dimethylpentane	<0.1	
benzene	0.4	0.1-0.5
cyclohexane	0.7	
2-methylhexane	0.2	
2,3-dimethylpentane	<0.1	
3-methylhexane	0.2	
2,2,4-trimethylpentane	0.2	
n-heptane	0.3	0.1-0.2
methylcyclohexane	0.6	

LAB NO: 1602929
Location: Highlands Community

ANALYTICAL WORK PERFORMED, METHOD OF ANALYSIS AND RESULTS

Quantitation of Organic Compounds by Gas Chromatography(GC) and
Flame Ionization Detection (FID)

Sample Date	01/29/16	
Canister	E3376	
Sampling Location	Highlands Community	Ambient Air
Total NMOC, ppbC	3060	100-700 ppbC

<u>Compound</u>	<u>Conc. (ppbv)</u>	<u>Conc. (ppbv)</u>
2,3,4-trimethylpentane	<0.1	
toluene	1.2	0.1-0.6
2-methylheptane	<0.1	
3-methylheptane	<0.1	
n-octane	0.1	<0.1-0.3
ethylbenzene	<0.1	0.1-0.2
m+p-xylenes	0.2	0.1-0.2
styrene	<0.1	<0.1-0.2
o-xylene	<0.1	0.1-0.2
n-nonane	<0.1	<0.1-0.1
isopropylbenzene	<0.1	
n-propylbenzene	<0.1	
m-ethyltoluene	<0.1	
p-ethyltoluene	<0.1	
1,3,5-trimethylbenzene	<0.1	
o-ethyltoluene	<0.1	
1,2,4-trimethylbenzene	<0.1	
n-decane	<0.1	<0.1-0.1
1,2,3-trimethylbenzene	<0.1	
m-diethylbenzene	<0.1	
p-diethylbenzene	<0.1	
n-undecane	<0.1	<0.1
n-dodecane	<0.1	<0.1

NMOC = Non-Methane Organic Compounds

N.D. = Not Detected

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
SAMPLE ANALYSIS REQUEST**

DIS
 INV
 LA
 LABO

WO #: 1602929



TO: SCAQMD LAB: <input checked="" type="checkbox"/>	OTHER: <input type="checkbox"/>			
SOURCE NAME:	Southern California Gas Co.		I.D. No.	
Source Address:	12801 Tampa Ave	City:	Porter Ranch	
Mailing Address:		City:	Zip:	91326
Contact Person:	Title:	Tel:		

Analysis Requested by:	Sumner Wilson	Date:	1/29/16	
Approved by:	Jason Low	Office:	Budget #:	44716
REASON REQUESTED:	Court/Hearing Board <input type="checkbox"/>	Permit Pending <input type="checkbox"/>	Hazardous/Toxic Spill <input type="checkbox"/>	
Suspected Violation	Rule(s)	Other <input type="checkbox"/>		

Sample Collected by: Robert Wimmer Date: 1/29/16 Time: 12:30

REQUESTED ANALYSIS: PAMS analysis

City/Location	Can#	Start day / time/ duration	Start vac	End vac
Highlands Community	54575	1-28-16 / 20:45 / 5 min	-30	-1"
Highlands Community	E3838	1-28-16 / 21:35 / 5 min	-30	0
Highlands Community	53382	1-28-16 / 23:15 / 5 min	-30	-10
Highlands Community	54570	1-29-16 / 00:58 / 5 min	-30	-2"
Highlands Community	E3376	1-29-16 / 01:43 / 5 min	-30	0

Relinquished by	Received by	Firm/Agency	Date	Time
RW-	MLO	SCAQMD Lab	1/29/16	4:20

Remarks: Samples collected by passive sampling via the XonTech 912 triggered by the Thermo 55i NMHC.

Trigger is set to 35ppm

Highlands community pool parking lot. Address: 12378 High Glen Way, Northridge CA 91326 (across from 12377)