

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 Copley Drive, Diamond Bar CA 91765-1482

MONITORING & ANALYSIS
REPORT OF LABORATORY ANALYSIS

Page 1 of 2

TO	Jason Low Atmospheric Measurements Manager Science and Technology Advancement	LABORATORY NO	<u>1612732</u>
SAMPLE DESCRIBED AS	24 hour sample canister 54113	DATE RECEIVED	<u>05/07/2016</u>
SAMPLING LOCATION	Reseda Station 18328 Gault St Los Angeles, CA 91335	FACILITY ID NO	<u>NA</u>
		REQUESTED BY	<u>Sumner Wilson</u>
		ST NO / PROJECT	<u>NA</u>

Carbon monoxide (CO), methane (CH₄), carbon dioxide (CO₂), ethane (C₂H₆), and non-methane non-ethane organic carbon (NM/NEOC) in ppmvC by SCAQMD Method 25.1 (TCA FID).

Type	Canister
Number	<u>54113</u>
Pressure (Torr)	740
CO, ppm	< 3
CH ₄ , ppm	3
CO ₂ , ppm	419
Ethane, ppmvC	< 1
NM/NEOC, ppmvC	< 1

Date Approved: 5/11/16

Approved By: _____

Solomon Teffera
Solomon Teffera, Acting Senior Manager
Laboratory Services
909-396-2199

Sumner Wilson
5-21-16

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 Copley Drive, Diamond Bar CA 91765-1482**

**MONITORING & ANALYSIS
QUALITY CONTROL SUMMARY**

Page 2 of 2

SAMPLE DESCRIBED AS	LABORATORY NO	<u>1612732</u>
24 hour sample canister 54113	REQUESTED BY	<u>Sumner Wilson</u>

Carbon monoxide (CO), methane (CH₄), carbon dioxide (CO₂), ethane (C₂H₆), and non-methane non-ethane organic carbon (NM/NEOC) in ppmvC by SCAQMD Method 25.1 (TCA FID).

QUALITY CONTROL -- End of run control recovery

		Theoretical	Measured	Percent Difference	QC Limit ±5% or ± 1
CC106783	MDL				
CO, ppmvC	0.3	1.92	1.99	3.42	PASS
CH ₄ , ppmvC	0.3	2.02	2.90	43.06	PASS
CO ₂ , ppmvC	0.3	1.57	2.05	30.50	PASS
C ₂ H ₄ , ppmvC	0.4	NA	NA	NA	NA
C ₂ H ₆ , ppmvC	0.4	2.03	2.14	5.35	PASS
NM/NEOC, ppmvC	0.4	2.03	2.09	2.98	PASS

		Theoretical	Measured	Percent Difference	QC Limit ±5% or ± 1
CC12628	MDL				
CO, ppmvC	0.3	1036	1058	2.13	PASS
CH ₄ , ppmvC	0.3	1068	1050	-1.64	PASS
CO ₂ , ppmvC	0.3	1022	1040	1.72	PASS
C ₂ H ₄ , ppmvC	0.4	NA	NA	NA	NA
C ₂ H ₆ , ppmvC	0.4	1044	1044	-0.03	PASS
NM/NEOC, ppmvC	0.4	1024	1023	-0.08	PASS

DATE ANALYZED 05/07/2016
REFERENCE NO: 16QM2AB
 QM2-101

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
SAMPLE ANALYSIS REQUEST**

C
 P
 I
LAB

WO #: 1612732



TO: SCAQMD LAB: OTHER: _____
 SOURCE NAME: Southern California Gas Co. I.D. No. _____
 Source Address: 12801 Tampa Ave City: Porter Ranch
 Mailing Address: _____ City: _____ Zip: 91326
 Contact Person: _____ Title: _____ Tel: _____

Analysis Requested by: Sumner Wilson Date: 5/7/16
 Approved by: Jason Low Office: _____ Budget #: 44716
 REASON REQUESTED: Court/Hearing Board Permit Pending Hazardous/Toxic Spill
 Suspected Violation Rule(s) _____ Other _____

Sample Collected by: Qian Zhou Date: 5/7/16 Time: 10:40pm

REQUESTED ANALYSIS: PAMS analysis

City/Location	Can#	Start day / time/ duration	Start vac	End Press
Reseda Station	54113	5/6/16 / 00:00 / 24 hours	<-30"	+10.5

Relinquished by	Received by	Firm/Agency	Date	Time
<i>zhangqian</i>	<i>Ch & Sue</i>	SCAQMD Lab	5/7/16	12:27

Remarks: 1:3 scheduled samples from station at Reseda
 Reseda Station - 18328 Gault St, Los Angeles, CA 91335
 GPS (34.199225, -118.532743)