

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
 RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
 LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

**AMERICAN STANDARD WATER HEATERS
 (Certified @ 10 ng/J NOx)**

| AMERICAN STANDARD | Capacity (Gallons) | Input (BTU/Hr) |
|--|-------------------------------|-----------------------|
| G-30L-1-3-6 G-30L-1-3-12 G-30L-2-3-6 G-30L-2-3-12 | 30 | 35,000 |
| G-40L-1-3-6 G-40L-1-3-12 G-40L-2-3-6 G-40L-2-3-12 | 40 | 37,000 |
| G-50L-1-3-6 G-50L-1-3-12 G-50L-2-3-6 G-50L-2-3-12 | 50 | 40,000 |
| G-30T-1-3-6 G-30T-1-3-12 G-30T-2-3-6 G-30T-2-3-12 | 30 | 35,000 |
| G-40T-1-3-6 G-40T-1-3-12 G-40T-2-3-6 G-40T-2-3-12 | 40 | 40,000 |
| G-50T-1-3-6 G-50T-1-3-12 G-50T-2-3-6 G-50T-2-3-12 | 50 | 40,000 |
| G50T-1-4-6 G-50T-1-4-12 G-50T-2-4-6 G-50T-2-4-12 | 50 | 48,000 |

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

AMERICAN STANDARD WATER HEATERS
(Certified @ 10 ng/J NOx)

| Certified Models American Standard | Tested? | Max Heat Input Rating (BTU/hr) | Tank Capacity (Gallon) |
|---------------------------------------|---------|-----------------------------------|------------------------------|
| GN50T1-3-6 | √ | 40,000 | 50 |
| GN50T1-3-12 | | 40,000 | 50 |
| GN50T2-3-6 | | 40,000 | 50 |
| GN50T2-3-12 | | 40,000 | 50 |
| GN30T1-3-6 | √ | 35,000 | 30 |
| GN30T2-3-6 | | 35,000 | 30 |
| GN50L2-3-6 | √ | 40,000 | 50 |
| GN30L2-3-6 | √ | 35,000 | 30 |
| GN40T1-3-6 | √ | 40,000 | 40 |
| GN40T1-3-12 | | 40,000 | 40 |
| GN40T2-3-6 | | 40,000 | 40 |
| GN40T2-3-12 | | 40,000 | 40 |
| GN40L2-3-6 | √ | 37,000 | 40 |

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

A.O. SMITH (AMERICAN WATER HEATER COMPANY)
(Certified @ 10 ng/J NOx)

These models may have any combination of suffixes, O, X, M, H, or C

| American Water Heater | U.S. Craftmaster | Reliance | A.O. Smith | State | Penfield | Sears | Capacity (Gallons) | Input (BTU/Hr) |
|---|---|---|---|---|----------|--|--------------------|----------------|
| UG(1,3,5,6,8,9,10,12)(1,2)30T303N GU(B)(6,9,12)(1,2)30T30 | UG(1,2)(A,E,F,H,J)3030T3N NU30T(1,3,6,9,12)(1,2)-303 UNG(1,2)(A thru Z)3030T(B) | 6 30UORT | GCHN-30 | GS6 30UORT (G) | | 153.330200 153.556300 | 30 | 30,000 |
| GU(1thru50)1 30T30 JU30-30 | NA | 6 30 UNORT | GUC30 | GS6 30 ORUT | | | 30 | 33,000 |
| UG(1,3,5,6,8,9,10,12)(1,2)40T403N GU(6,9,12)2 40T40 GU(1 thru 50)1 40T40 GU(1 thru 50)2 40S40 JUS40-40 JU40-40 | UG(1,2)(A,E,F,H,J)4040T3N NU40T(1,3,6,9,12)(1,2)-403 UNG2(A thru Z)4040T UNG2(A thru Z)40405 | 6 40UBRT 6 40UOCT 9 40UKRT (6,9) 40U(B,K)CT (6,9)40UN(B,K)RT (6,9)40UN(A,B,K)CT 6 40 UNBCS (6,9,12)40UN(A,B,K)CT | GCHN-40 GNR-40 GUR 40 GUC40 GURL 40 HUR40 HURL40 G(1 thru 50)-US4040NV | GS6 40UBRT (G) GS6 40UOCT (G) GS6 40 BCUT GS6 40 BRUT GS6 40 BCUS GW8 40 BCUT GW8 40 BCUS | | 153.330642 153.330942 153.331242 153.330660 153.330960 153.331280 153.330220 153.330250 153.330280 153.556400 153.559400 153.552400 | 40 | 40,000 |
| UG(1,3,5,6,8,9,10,12)(1,2)50T403N GU(6,9,12)2 50T40 GUF(1 thru 50)2 40T40 | UG(1,2)(A,E,F,H,J)5040T3N NU50T(1,3,6,9,12)(1,2)-403 UNG2(A thru Z)5040T | 6 50UBRT 6 50UOCT 9 50UKRT (6,9) 50U(B,K)CT (6,9,12) 40 UNBFT* | GCHN-50 GNR-50 (G,X)UF 40 G(1 thru 50)- UFDT4040NV | GS6 50UBRT (G) GS6 50UOCT (G) GS(6,9,12) 40 BFT* | | 153.330652 153.330952 153.331252 153.330970 153.331290 153.330230 153.330270 153.330290 153.556500 153.595500 153.552500 153.556410 | 40 | 40,000 |
| JU50-40 GU(1 thru 50)1 50T40 GUF(1 thru 50)2 50T40 | | (6,9,12) 50 UN (B,K)CT (6,9,12)50UN(A,B,K)CT (6,9)50UN(B,K)RT (6,9,12) 50 UNBFT* | GUR 50 GUC50 HUR50 (G,X)UF 50 G(1 thru 50)- UFDT5040NV | GS6 50 BCUT GS6 50 BRUT GW8 50 BCUT GS(6,9,12) 50 BFT* | | 153.556510 | 50 | 40,000 |

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

A.O. SMITH (AMERICAN WATER HEATER COMPANY)
(Certified @ 10 ng/J NOx)

These models may have any combination of suffixes, O, X, M, H, or C

| American Water Heater | U.S. Craftmaster | Reliance | A.O. Smith | State | Penfield | Sears | Capacity (Gallons) | Input (BTU/Hr) |
|--|--------------------------|-------------------------------|----------------|------------------------------------|-------------|--------------------------|--------------------|----------------|
| MFG(1,6,9)(1,2)30T303NOV (Mobile Home)* | MFG(1,2)(A,F,H)3030T3NOV | 6 30YJMT 100 6 30YJMTD 100 | AFMV 30 100 | GS6 30YOMAT 100 SCI 30YOMAT 100 | | 153.333870 153.333880 | 30 | 30,000 |
| MFG(1,6,9)(1,2)40T403NOV (Mobile Home)* | MFG(1,2)(A,F,H)4040T3NOV | 6 40YJMT 100 6 40YJMTD 100 | AFMV 40 100 | GS6 40YOMAT 100 SCI 40YOMAT 100 | | 153.333970 153.33980 | 40 | 40,000 |
| NGM 30-35.5 (Mobile Home)* | | 6 30GOMT* | FMV 30* | GS6 30YOMT SCI 30YOMT | 6 30YOMT | 153.336340 | 30 | 35,500 |
| NGM 40-35.5 (Mobile Home)* | | 6 40GOMT | FMV 40 | GS6 40YOMT SCI 40YOMT | 6 40YOMT | 153.336444 | 40 | 35,500 |

*MFG - & NGM - series are Mobile Home Water Heaters certified @ 40 ng/J or 55 ppm NOx

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

A.O. SMITH (AMERICAN WATER HEATER COMPANY)
(Certified @ 10 ng/J NOx)

These models may have any combination of suffixes, O, X, M, H, or C

| American Water Heater | U.S. Craftmaster | Reliance | A.O. Smith | State | Lochinvar | Capacity (Gallons) | Input (BTU/Hr) |
|---|-------------------------|--------------------|---|---|-----------------------|--------------------|----------------|
| UG(1,3,5,6,8,9,10,12)(1,2)30T303N | | | G(1 thru 50)(N)-UT3030NV | | UTN3030(B) | 30 | 30,000 |
| UG(1,3,5,6,8,9,10,12)(1,2)40T403N GU(1 THRU 50)(1,2)40T40 | | | G(1 thru 50)(N)-UT4040NV | | UTN4040 UTN4040-8 | 40 | 40,000 |
| UG(1,3,5,6,8,9,10,12)(1,2)50T403N | | | G(1 thru 50)(N)-UT5040NV | | UTN5040 UTN5040-8 | 40 | 40,000 |
| UPVG(6,9,12)240T42NV | UPVG2(F,H,J)4042TN V | (6,8,10,12)40UBVIT | GPNH-40 | GS(6,X)40UBVIT | UPN0404ES | 40 | 42,000 |
| DVUG(6,9,12)240S36NV | | 6 40 UBDS L | GDNL 40L 100 G(1 thru 50)(N)-UDVS4036NV | GS6 40 UBDS L | UVN040 40ST | 40 | 36,000 |
| DVUG(6,9,12)250T38NV | | 6 50 UBDT L | GDNT 50L 100 G(1 thru 50)(N)- UDVT5038NV | GS6 50 UBDT L | UVN050 40ST | 50 | 38,000 |
| UPVG(6,9,12)250T42NV | UPVG2(F,H,J)5042TN V | (6,8,10,12)50UBVIT | GPNH-50 | GS(6,X)50UBVIT | UPN0504ES | 50 | 42,000 |
| UG(6,9,12)250T504NV UG(6,9,12)250T504N GU(6,9,12)2 50T50 GU(1 thru 50)2 50T50(L) | UG2(F,H,J)5050T4NV | | GCNT-50 (G,H,X)URT 50L G(1 thru 50)(N)-UT5050NV | GS6 50URRT GS6 50 RCUT GW8 50 RCUT(L) | UTN05050 UTN5050-8 | 50 | 50,000 |
| PV ULN 40T42 | | | G(1 thru 50)(N)-UPVT4042NV | | | 40 | 42,000 |
| PV ULN 50T42 | | | G(1 thru 50)(N)-UPVT5042NV | | | 50 | 42,000 |

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

A.O. SMITH (AMERICAN WATER HEATER COMPANY)

(Certified @ 10 ng/J NO_x)

| American Water Heater | AO Smith | American | US Craftmaster | Lochinvar | Kenmore/ Sears | Input (BTU/hr) |
|------------------------------|---------------------------|---------------------------|-----------------------|-----------------------------|--|---------------------------|
| JU40-40 | G(1 thru 50)(N)-UT4040NVR | GU(1 thru 50)(1,2) 40T40R | UNG1(A Thru Z)4040TR | UTN04040R UTN04040-8R(T) | 153.556401 153.559401 153.552401 | 40,000 |
| JU50-40 | G(1 thru 50)(N)-UT5040NVR | GU(1 thru 50)(1,2) 50T40R | UNG1(A Thru Z)5040TR | UTN05040R UTN05040-8R(T) | 153.556501 153.559501 153.552501 | 40,000 |
| JU30-30 | G(1 thru 50)-UT3030NVR | | | UTN03030R UTN03030-8R(T) | | 30,000 |

AMERICAN WATER HEATER COMPANY

(Certified @ 10 ng/J NO_x)

| American Water Heater | Whirlpool | Lochinvar | Capacity (Gallons) | Input (BTU/Hr) |
|--|---|------------------|-------------------------------|---------------------------|
| UG(1,3,5,6,8,9,10,12)(1,2)30T303N GU(B)(1 thru 50)(1,2)30T30 | 30T(3,6,9,10,12)-30UNG | | 30 | 30,000 |
| UG(1,3,5,6,8,9,10,12)(1,2)40T403N | 40T(3,6,9,10,12)-40UNG | | 40 | 40,000 |
| UG(1,3,5,6,8,9,10,12)(1,2)50T403N GU(1 thru 50)(1,2) 50T40 GUF(1 thru 50)2 40T40 | 50T(3,6,9,10,12)-40UNG 40T(1 thru 50)-40UDNG | | 40 | 40,000 |
| GU(1 thru 50)2 50T50(L) GUF(1 thru 50)2 50T40 | 50T(3,6,9,10,12)-50UNG 50T(1 thru 50)-40UDNG | | 50 | 50,000 |
| JU40-40 | 40S(1 thru 50) 40UNG | | 40 | 40,000 |
| JUS40-40 | | USN04040-8 | 40 | 40,000 |

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

A.O. SMITH (AMERICAN WATER HEATER COMPANY)
 (Certified @ 10 ng/J NO_x)

| Certified Base Model | Max. Heat Input Rating (BTU/hr) | Tank Capacity (Gallon) | Certified by Extension Model | | |
|----------------------|---------------------------------|------------------------|------------------------------|--------------------------|---|
| AO Smith | | | State | American | Lochinvar |
| GPDNL-40 100 | 40,000 | 40 | GS6-40-UBPDS 100 | UPDVG62-40S40 100 | UPDN04040 100 UPDN04040Z 100 |
| GPDNT-50 100 | 40,000 | 50 | GS6-50-UBPDT 100 | UPDVG62-50T40 100 | UPDN05040 100 UPDN05040Z 100 |

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

A.O. Smith Water Products Co.

Certified @ 10 ng/J NOx

| Certified Base Model | Max. Heat Input Rating (BTU/hr) | Tank Capacity (Gallon) | Certified by Extension Model | | | | | | |
|----------------------|---------------------------------|------------------------|--|------------------|----------------|-------------------|-------------|----------------------|-----------------------------------|
| | | | AO Smith | American | Reliance | State | Envirosense | Envirosense Enercare | Envirosense Reliance Home Comfort |
| HVC-40 | 50,000 | 40 | GPCT-40L 100 GC6-PS4050NV 100 GPCC-40L 100 | PCG62-40S50L 100 | 6-40-YRPCS 100 | GP6-40-YRPCSL 100 | ENV 40N 100 | ENV 40N-ENER 100 | ENV 40N-RHC 100 |
| HVC-50 | 65,000 | 50 | GPCX-50L 100 GC6-PS5065NV 100 GPCC-50L 100 | PCG62-50S65L 100 | 6-50-YXPCS 100 | GP6-50-YXPCSL 100 | ENV 50N 100 | ENV 50N-ENER 100 | ENV 50N-RHC 100 |

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

A.O. Smith Water Products Co.

Certified @ 10 ng/J NOx

| Certified Base Model | Max. Heat Input Rating (BTU/hr) | Tank Capacity (Gallon) | Certified by Extension Model | | | | |
|----------------------|---------------------------------|------------------------|------------------------------|---------------------|-------------------|----------------------|------------------|
| | | | A.O. Smith | State | Reliance | American | Lochinvar |
| GPVNT-40 | 42,000 | 40 | G6-UPT4042NV | GS6-40-UBPVT | 6-40-UBPVT | UPG62-40T42NV | UPVN04040 |
| GPVNT-50 | 42,000 | 50 | G6-UPT5042NV | GS6-50-UBPVT | 6-50-UBPVT | UPG62-50T42NV | UPVN05040 |

Certified @ 10 ng/J NOx

| Certified Base Model | Max. Heat Input Rating (BTU/hr) | Tank Capacity (Gallon) | Certified by Extension Model | | | | |
|----------------------|---------------------------------|------------------------|-----------------------------------|---------------------|-------------------|--------------------|----------------------------------|
| | | | A.O. Smith | State | Reliance | American | Lochinvar |
| GURT-50RL | 50,000 | 50 | G6-UT5050NVR XURT-50RL | GS6-50-RCUTR | 6-40-UBPVT | GU62 50T50R | UTN05050-8R UTN05050R |

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121
Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

A.O. Smith Corp.

Certified @ 10 ng/J NO_x

| Certified Base Model | Max. Heat Input Rating (BTU/hr) | Tank Capacity (Gallon) | Certified by Extension Model | | |
|----------------------|---------------------------------|------------------------|------------------------------|---------------------|-----------------------|
| AO Smith | | | AO Smith | State | American |
| GDVNL-40L | 36,000 | 40 | G6-UDS4036NV | GS6-40-UODSL | UDG62-40S36-NV |
| GDVNT-50L | 38,000 | 50 | G6-UDT5038NV | GS6-50-UODTL | UDG62-50T38-NV |

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

A.O. Smith Corp.

Certified @ 10 ng/J NO_x

| Certified Base Model | Certified by Extension Model | | | | | | Tank Capacity (Gallons) | Max. Heat Input (BTU/hr) |
|----------------------|---|--|--|-------------------------------|--------------------------|-------------------------------------|-------------------------|--------------------------|
| | A. O. Smith | State | Reliance | American | U.S. Craftmaster | Lochinvar | | |
| UG(6,9,12)250T504N | (G,H,X)URT-50L *** G(1 thru 50)(N)-UT5050NV *** | GS(6,X)-50-RCUT(L) *** GW8-50-RCUT(L) *** | | GU(1 thru 50)2-50T50(L) *** | | UTN5050 *** UTN5050-8(T) *** | 50 | 50,000 |
| JU30-30 | GUC-30 *** XUC-30 *** G(1 thru 50)-UT3030NVR *** | GS(6,X)-30-ORUT *** | 6-30-UNORT *** | GU(1 thru 50)1-30T30 *** | | UTN03030R *** UTN03030-8R(T) *** | 30 | 33,000 |
| JU40-40 | GUR-40 *** GUC-40 *** HUR-40 *** XUR-40 *** HUC-40 *** XUC-40 *** G(1 thru 50)(N)-UT4040NVR *** | GS(6,X)-40-BCUT *** GS(6,X)-40-BRUT *** GW8-40-BCUT *** GW8-40-BRUT *** | (6,9,12)-40-UN(A,B,K)CT *** (6,9)-40-UN(B,K)RT *** | GU(1 thru 50)(1,2)-40T40R *** | UNG1(A Thru Z)4040TR *** | UTN04040R *** UTN04040-8R(T) *** | 40 | 40,000 |
| JUS40-40 | GURL-40 *** HURL-40 *** XURL-40 *** G(1 thru 50)-US4040NV *** | GS(6,X)-40-BCUS *** GW8-40-BCUS *** | 6-40-UNBCS *** | GU(1 thru 50)2-40S40 *** | UNG2(A thru Z)4040S *** | USN04040 *** USN04040-8 *** | 40 | 40,000 |
| JU50-40 | GUR-50 *** GUC-50 *** HUR 50 *** HUC-50 *** XUR-50 *** XUC-50 *** G(1 thru 50)(N)-UT5040NVR *** | GS(6,X)-50-BCUT *** GS(6,X)-50-BRUT *** GW8-50-BCUT *** GW8-50-BRUT *** | (6,9,12)-50 UN(A,B,K)CT *** (6,9,12)-50-UN(B,K)RT *** | GU(1 thru 50)(1,2)-50T40R *** | UNG1(A Thru Z)5040TR *** | UTN05040R *** UTN05040-8R(T) *** | 50 | 40,000 |
| GURT-50RL | GURT-50RL *** XURT-50RL *** G6-UT5050NVR *** | GS6-50-RCUTR *** | 6-40-UBPVT *** | GU62-50T50R *** | | UTN05050R *** UTN05050-8R *** | 50 | 50,000 |
| GUF-40 | (G,X)UF-40 *** G(1 thru 50)-UFDT4040NV *** | GS(6,9,12)-40-BFUT* *** | (6,9,12)-40-UNBFT* *** | GUF(1 thru 50)2-40T40 *** | | | 40 | 40,000 |
| GUF-50 | (G,X)UF-50 *** G(1 thru 50)-UFDT5040NV *** | GS(6,9,12)-50-BFUT* *** | (6,9,12)-50-UNBFT* *** | GUF(1 thru 50)2-50T40 *** | | | 50 | 40,000 |

*Additional alphanumeric character denoting model variations

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
 RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
 LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

A.O. Smith Corp.

Certified @ 10 ng/J NOx

| Certified Base Model | Certified by Extension Model | | | | | Tank Capacity (Gallons) | Max. Heat Input (BTU/hr) |
|----------------------|---|----------------------|--------------------------|--------------------------|------------------|-------------------------|--------------------------|
| | A. O. Smith | State | Reliance | American | Lochinvar | | |
| GPVNT-40 | GPVNT-40 *** G6-UPT4042NV *** | GS6-40-UBPVT *** | 6-40-UBPVT *** | UPG62-40T42NV *** | UPVN04040 *** | 40 | 42,000 |
| GPVNT-50 | GPVNT-50 *** G6-UPT5042NV *** | GS6-50-UBPVT *** | 6-50-UBPVT *** | UPG62-50T42NV *** | UPVN05040 *** | 50 | 42,000 |
| PV ULN 40T42 | GPNH-40 *** G(1 thru 50)(N)-UPVT4042NV *** | GS(6,X)-40-UBVIT *** | (6,8,10,12)-40-UBVIT *** | UPVG(6,9,12)240T42NV *** | UPN04040(ES) *** | 40 | 42,000 |
| PV ULN 50T42 | GPNH-50 *** G(1 thru 50)(N)-UPVT5042NV *** | GS(6,X)-50-UBVIT *** | (6,8,10,12)-50-UBVIT *** | UPVG(6,9,12)250T42NV *** | UPN05042(ES) *** | 50 | 42,000 |

*Additional alphanumeric character denoting model variations

Certified @ 10 ng/J NOx

| Certified Base Model | Certified by Extension Model | | | | | Tank Capacity (Gallons) | Max. Heat Input (BTU/hr) |
|----------------------|--|-------------------|-----------------|------------------------------|-----------------|-------------------------|--------------------------|
| | A. O. Smith | State | Reliance | American | Lochinvar | | |
| DVUG62-40S36NV | GDNL-40L *** G(1 thru 50)(N)-UDVS4036NV *** | GS6-40-UBDS L *** | 6-40-UBDS L *** | DVUG(6,9,12)2-40S36-N(V) *** | UVN040 40ST *** | 40 | 36,000 |
| DVUG62-50T38NV | GDNT-50L *** G(1 thru 50)(N)-UDVT5038NV *** | GS6-50-UBDTL *** | 6-50-UBDTL *** | DVUG(6,9,12)250T38N(V) *** | UVN050 40ST *** | 50 | 38,000 |
| GDVNL-40L | GDVNL-40L *** G6-UDS4036NV *** | GS6-40-UODSL *** | | UDG62-40S36-NV *** | | 40 | 36,000 |
| GDVNT-50L | GDVNT-50L *** G6-UDT5038NV *** | GS6-50-UODTL *** | | UDG62-50T38-NV *** | | 50 | 38,000 |

*Additional alphanumeric character denoting model variations

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
 RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
 LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

A.O. Smith Corp.

Certified @ 10 ng/J NOx

| Certified Base Model | Tank Capacity (Gallons) | Max. Heat Input (BTU/hr) | Certified by Extension Model |
|----------------------|-------------------------|--------------------------|------------------------------|
| A.O. Smith | | | Lochinvar |
| JUS40-40 | 40 | 40,000 | USN04040-8(T) *** |

*Additional alphanumeric character denoting model variations

Certified @ 10 ng/J NOx

| Certified Base Model | Tank Capacity (Gallons) | Max. Heat Input (BTU/hr) | Certified by Extension Model |
|----------------------|-------------------------|--------------------------|------------------------------|
| A.O. Smith | | | Lochinvar |
| JUS40-40 | 40 | 40,000 | USN04040-(T) *** |
| JUS40-40 | 40 | 40,000 | USN04040-(8,10)(T) *** |

*Additional alphanumeric character denoting model variations

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

BRADFORD WHITE
(Certified @ 10 ng/J NOx)

| BRADFORD WHITE | BRADFORD WHITE SOLAR | VELUX SOLAR | Capacity (Gallons) | Input (BTU/Hr) |
|---|-----------------------------|--------------------|---------------------------|-----------------------|
| URG130T6N | | | 30 | 27,000 |
| U1-30S6FRN | | | 30 | 30,000 |
| U1-30T6FRN, URG1D30T6N | | | 30 | 32,000 |
| U4-30T6FRN, URG230T6N | | | 30 | 32,000 |
| URG140T6N | | | 40 | 34,000 |
| URG150T6N | | | 50 | 34,000 |
| U1-40T6FRN, URG1D40T6N | | | 40 | 40,000 |
| U1-403T6FRN | | | 40 | 40,000 |
| U4-40T6FRN, URG240T6N | | | 40 | 40,000 |
| U1-403S6FRN, URG1D40S6N | | | 40 | 40,000 |
| U1-XR-403S6FRN | | | 40 | 40,000 |
| U4-403S6FRN ,URG240S6N | | | 40 | 40,000 |
| U1-5036FRN ,URG1D50T6N | | | 50 | 40,000 |
| U4-5036FRN, URG250T6N | SDW4U5036FRN | | 50 | 40,000 |
| U1-50L6FRN, URG250L6N | | | 48 | 40,000 |
| U1-404T6FRN | | | 40 | 50,000 |
| U1-504S6FRN, URG250S6N | | | 50 | 50,000 |
| U1-60T6FRN | | | 60 | 40,000 |
| U4-60T6FRN | | | 60 | 40,000 |
| U2-XR504T6FRN, URG250H6N, ULG250H553N | | | 48 | 55,000 |
| U2-XR65T6FRN | SDW2U65T6FRN | TFF 060 2205US | 65 | 55,000 |
| U1TW40S6FRN, URG1PV40S6N, URG1PV40S6N19 | | | 40 | 40,000 |
| U2TW65T6FRN | | | 65 | 60,000 |
| U1TW50S6FRN, URG1PV50S6N, URG1PV50S6N19 | | | 50 | 40,000 |
| U1TW60T6FRN | | | 60 | 42,000 |
| U2TW50T6FRN, URG2PV50H6N, ULG2PV50H563N, URG2PV50H6N19, ULG2PV50H563N19 | | | 48 | 56,000 |
| U4TW40T6FRN, URG2PV40T6N, URG2PV40T6N19 | | | 40 | 40,000 |
| U4TW50T6FRN, URG2PV50T6N, URG2PV50T6N19 | | | 50 | 40,000 |
| U4TW60T6FRN | | | 60 | 40,000 |

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

BRADFORD WHITE
(Certified @ 10 ng/J NOx)

| BRADFORD WHITE Base Model | BRADFORD WHITE New Models | Capacity (Gallons) | Comments | Input (BTU/Hr) |
|--------------------------------------|--------------------------------------|-------------------------------|-----------------|---------------------------|
| UDS140S6FRN | URG2DV40S6N | 40 | DV | 38,000 |
| UDS150S6FRN | URG2DV50S6N | 50 | DV | 38,000 |
| UDH1504T6FRN | URG2DV50H6N | 48 | DV | 45,000 |
| UDH165T6FRN | | 65 | DV | 45,000 |
| UDH175S6FRN | | 75 | DV | 50,000 |
| | | | | |
| UDH50T45FR3N | ULG2DV50H453N | 48 | DV | 45,000 |
| UDH65T45FR3N | | 65 | DV | 45,000 |
| UDH75T50FR3N | | 75 | DV | 50,000 |
| | | | | |
| UPDX140S6FRN | URG2PDV40S6N | 40 | PDV | 40,000 |
| UPDX150S6FRN | URG2PDV50S6N | 50 | PDV | 40,000 |
| UPDX250T6FRN | URG2PDV50H6N | 48 | PDV | 50,000 |
| UPDX265T6FRN | | 65 | PDV | 55,000 |
| UPDX275T6FRN | | 75 | PDV | 55,000 |
| | | | | |
| UPDX50S50FR3N | ULG2PDV50H503N | 48 | PDV | 50,000 |
| UPDX65S55FR3N | | 65 | PDV | 55,000 |
| UPDX75S55FR3N | | 75 | PDV | 55,000 |

DV—Direct Vent, PDV—Power Direct Vent

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

DONGYONG HOT WATER SYSTEMS, INC. (DYHOT)

(Certified @ 15 ppm NO_x)

| DYHOT | HTP | Westinghouse | Input (BTU/Hr) |
|--------------|------------|---------------------|-----------------------|
| DH40-75T | RGH40-75F | WGRGH40NG75F | 74,999 |

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

RHEEM SALES COMPANY
(Certified @ 10 ng/J NOx)

| Rheem | Rheem Professional | Ruud | Ruud Professional | Richmond | GE | Hot Point | Gallons | INPUT (Btu/hr) |
|--|--------------------|--------------------|---|---|--|-----------|---------|----------------|
| 22X50FN 22V50FN 22V50FNVE XG48T06EN40U0 22V50FNE2 PROG48-40URH58 24V50FN 24V50FNEV 24X50FN PROG48-40U RH60 PRO+G48-40U RH60 XG48T06EN40U1 XG48T09EN40U0 XG48T12EN40U0 | RHG PRO50FN | P2-50FN M2-50FN | RUG PRO50FN M4-50FN PROG48-40U RU60 PRO+G48-40U RU60 | 6G50-40FN 12G50-40FN 9G50-40FN 12G50-40FN3 6G50-40FN3 9G50-40FN3 | GG48T06AXK00 SG48T12AXK00 PG48T09AXK00 | --- | 50 | 40,000 |
| 22V40FN 22V40FNVE XG38T06EN38U0 22X40FN 22V40FNE2 PROG38-38URH60 24V40FN 24V40FNEV 24X40FN PROG38-38U RH62 PRO+G38-38U RH62 XG38T06EN38U1 XG38T09EN38U0 XG38T12EN38U0 SCG38T03UN38U1 | RHG PRO40FN | P2-40FN M2-40FN | RUG PRO40FN M4-40FN PROG38-38U RU62 PRO+G38-38U RU62 | 6G40-40FN 12G40-40FN 9G40-40FN 12G40-38FN3 6G40-38FN3 9G40-38FN3 | HG38T01AXK00 GG38T06AXK00 SG38T12AXK00 PG38T09AXK00 | --- | 40 | 38,000 |
| 22V30FN 22V30FNVE XG28T06EN30U0 22X30FN PROG28-30URH62 24V30FN 24V30FNEV 24X30FN XG28T06EN30U1 | RHG PRO30FN | P2-30FN M2-30FN | RUG PRO30FN M4-30FN PROG28-30U RU63 PRO+G28-30U RU63 | 6G30-30FN 12G30-30FN3 6G30-30FN3 9G30-30FN3 | GG28T06AXK00 HG28T01AXK00 PG28T09AXD SG28T12AXD | --- | 30 | 30,000 |

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

| | | | | | | | | |
|--|--------------|----------------------|--|--|------------------------------|--------------|----|--------|
| XG28T09EN30U0 XG28T12EN30U0 | | | | | | | | |
| 22V40SFN 22V40SFNVE XG38S06EN36U0 22X40SFN PROG38S-36URH60 24V40SFN 24V40SFNEV 24X40SFN PROG38S-36U RH62 PRO+G38S-36U RH62 XG38S06EN36U1 XG38S09EN36U0 XG38S12EN36U0 | 22V40S PROFN | P-240SFN M2-40SFN | P2-40S PROFN M4-50FN PROG38S-36U RU62 PRO+G38S-36U RU62 | 6G40S-36FN 9G40S-36FN 12G40S-36FN3 6G40S-36FN3 9G40S-36FN3 | GG38S06AXK00 PG38S09ASK00 | HG38S01AXK00 | 38 | 36,000 |
| 22VR40FN 22VR40FNVE XG40T06HN38U0 XG40T09HN38U0 XG40T12HN38U0 22XR40FN PROG40-38URH62 | RHG PRO40FN | P2R-40FN M2R-40FN | RUG PRO40FN | 6G40V-38FN 12G40V-38FN | GG40T06TXK00 SG40T12TXK00 | --- | 40 | 38,000 |
| 22V40FDVX* 22I40FDVX* PROG40- 36NRH59MHDVX* 24V40FDVX* 24I40FDVX* PROG40- 36NRH62MHDVX* | | | | MV40FDVX | | | 40 | 36,000 |
| 22V50FDVX* 22I50FDVX* PROG50- 36NRH59MHDVX* 24V50FDVX* 24I50FDVX* PROG50- 36NRH60MHDVX* | | | | MV50FDVX | | | 50 | 36,000 |

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

| | | | | | | | | |
|---|-------------|----------------------|--|--------------------------------------|------------------------------|-----|----|--------|
| 22VR50FN 22VR50FNVE XG50T06HN36U0 XG50T09HN36U0 XG50T12HN36U0 22XR50FN PROG50-36URH62 PRO+G50-36URH62 | RHG PRO50FN | P2R-50FN M2R-50FN | RUG PRO50FN PRO+G50-36URH62 | 6G50V-36FN 12G50V-36FN | GG50T06TXK00 SG50T12TXK00 | --- | 50 | 36,000 |
| 42V60FN 42V60FNVE XG60T06EN45U0 PRO+G60-45URH56 44V55FN 44V55FNEV 44X55FN PROG55-45U RH59 PRO+G55-45U RH59 XG55T06EN45U0 XG55T09EN45U0 XG55T12EN45U0 | RHG PRO60FN | PH2-60FN | RUG PRO60FN M4-55N PROG55-45U RU59 PRO+G55-45U RU59 | 12G55-45FN 6G55-45FN 9G55-45FN | SG60T12YXS10 | --- | 55 | 45,000 |
| 42VP40FN PROG40-36URH67PV | --- | PVP40FN | --- | 6G40PV-36FN | --- | --- | 40 | 36,000 |
| 42VP50FN PROG50-38URH67PV | --- | PVP50FN | --- | 6G50PV-38FN | --- | --- | 50 | 38,000 |
| 22V30FT* 22I30FT* PROG30-32NRH61MH* PROG30-26NRH61MHH* | | | | 6V30FT* | GG30T06MSK01* | | 30 | 32,000 |
| 22V40FT* 22I40FT* PROG40-34NRH59MH* PROG40-34NRH59MHH* | | | | 6V40FT* | GG40T06MSK01* | | 40 | 34,000 |
| 22V50FT* 22I50FT* PROG40-38NRH58MH* PROG40-38NRH58MHH* | | | | 6V50FT* | GG50T06MSK01* | | 50 | 38,000 |

* Mobile Home Water Heaters certified @ 40 ng/J or 55 ppm NOx

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

RHEEM SALES COMPANY

(Certified @ 10 ng/J NOx)

| Rheem | Richmond | Ruud | INPUT (BTU/hr) |
|---|---|--|---------------------------|
| 44V40SFNEV PROG39S-38U RH62 EC1* XG39S06EN38U* 44X40SFN* | 6G40S-38FN* 9G40S-38FN* | PROG39S-38U RU62 EC1* M4-40SFN* | 38,000 |
| 44V50SFNEV PROG50S-40U RH60 EC1* XG50S06EN40U* | 6G50S-40FN* 9G50S-40FN* 12G50S-40FN* | PROG50S-40U RU60 EC1* | 40,000 |
| 44V55FNEV PRO+G55-45U RU59 EC1* XG55T06EN45U* | 6G55-45FN* 12G55-45FN* | PRO+G55-45U RU59 EC1* | 45,000 |
| 44VP40FN PROG40-36U RH67 PV* XG40T06PN36U* | 6G40PV-36FN* | PROG40-36U RU67 PV1* | 36,000 |
| 44VP50FN PROG50-38U RH67 PV* XG50T06PN38U* | 6G50PV-38FN* | PROG50-38U RU67 PV* | 38,000 |
| 23V40NE3 PRO+G40-38U RH67 PD* PROPG40-38U RH67 PD* XG40T12DU38U* XG40T12DU38U*W | 6G40-38E2FN* 9G40-38E2FN* 12G40-38E2FN* | PRO+G40-38U RU67 PD* PROUG40-38U RU67 PD* | 38,000 |
| 23V50NE3 PRO+G50-38U RH67 PD* PROPG50-38U RH67 PD* XG50T12DU38U* XG50T12DU38U*W | 6G50-38E2FN* 9G50-38E2FN* 12G50-38E2FN* | PRO+G50-38U RU67 PD* PROUG50-38U RU67 PD* | 38,000 |
| 24DV50FNEV PROG50-36U RH60 DV EC1 XG50T06DN36UO | 6GDV50FN4 | PROG50-36U RU60 DV EC1 | 36,000 |

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
 RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
 LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

**RHEEM SALES COMPANY
 Certified @ 15 ppm @ 3% O2 or 10 ng/J NOx**

| Certified Base Model | Max. Heat Input Rating (BTU/hr) | Tank Capacity (Gallon) | Certified by Extension Model | | | |
|------------------------|---------------------------------|------------------------|--|------------------------|--------------|--|
| Rheem | | | Rheem | Ruud | Richmond | Enercare |
| PROP G40-50U RH HE EC3 | 50,000 | 40 | PROP G40-50U CN HE PROP G40-50U CN HE EC3 XG40S12UHN50C0 XG40S12UHN50U0 | PROU G40-50U RU HE EC3 | 12GUH40-50FN | ECE G40-50U CN HE ECE G40-50U CN HE EC3 |
| PROP G50-50U RH HE EC3 | 50,000 | 50 | PROP G50-50U CN HE PROP G50-50U CN HE EC3 XG50T12UHN50C0 XG50T12UHN50U0 | PROU G50-50U RU HE EC3 | 12GUH50-50FN | ECE G50-50U CN HE ECE G50-50U CN HE EC3 |

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
 RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
 LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

**RHEEM SALES COMPANY
 Certified @ 15 ppm @ 3% O2 or 10 ng/J NOx**

| Certified Base Models | Input Rating (BTU/hr) | Tank Capacity (Gallons) | Certified by Extension Models | | |
|------------------------|--------------------------|-------------------------------|-------------------------------|-----------------------|-------------|
| Rheem | | | Rheem | Ruud | Richmond |
| PROP G40-50U RH HE EC3 | 50,000 | 40 | PRO+G40-50U RH HE EC1 | PRO+G40-50U RU HE EC1 | 9GUH40-50FN |
| | | | XG40T09UHN50U0 | | |
| PROP G50-50U RH HE EC3 | 50,000 | 50 | XG50T09UHN50U0 | PRO+G50-50U RU HE EC1 | 9GUH50-50FN |
| | | | PRO+G50-50U RH HE EC1 | | |

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
 RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
 LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

**RHEEM SALES COMPANY
 Certified @ 10 ng/J NOx**

| Certified Base Models | Input Rating (BTU/hr) | Tank Capacity (Gallons) | Certified by Extension Models | | |
|-----------------------|-----------------------|-------------------------|-------------------------------|----------------------|-----------|
| | | | Rheem | Ruud | Richmond |
| PROG40-34U RH EC1 | 34,000 | 40 | XG40T06EN34U0 | PROG40-34U RU EC1 | 6G50-34FN |
| | | | PROG40-34U RH EC1 TT | PROG40-34U RU EC1 TT | |
| PROG50-34U RH EC1 | 34,000 | 50 | XG50T06EN34U0 | PROG50-34U RU EC1 | — |
| | | | XG40T06TN34U0 | | |
| | | | PROG50-34U RH EC1 TT | PROG50-34U RU EC1 TT | |
| | | | XG50T06TN34U0 | | |
| PROG48-48U RH EC1 | 48,000 | 48 | XG50T06EN48U0 | PROG48-48U RU EC1 | 6G50-48FN |
| PROG29-31U RH EC1 | 31,000 | 29 | XG29T06EN31U0 | PROG29-31U RU EC1 | 6G40-34FN |

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

RHEEM SALES COMPANY
 Certified @ 10 ng/J NOx

| Certified Base Model | Max. Heat Input (BTU/hr) | Certified by Extension Model | | | |
|----------------------|--------------------------|--|---|---|----------------|
| Rheem | | Rheem | Richmond | Ruud | Sure |
| 24V30FNEV | 30,000 | 24X30FN1 PRO+G29-30U RH63 EC1 PROG29-30U RH63 EC1 XG29T06EN30U0 | 6G30-30FN4 | M4-30FN1 PRO+G29-30U RU63 EC1 PROG29-30U RU63 EC1 | |
| 24V40FNEV | 38,000 | 24X40FN1 PRO+G40-38U RH62 EC1 PROG40-38U RH62 EC1 XG40T12EN38U0 XG40T09EN38U0 XG40T06EN38U0 | 9G40-38FN4 12G40-38FN4 6G40-38FN4 | M4-40FN1 PRO+G40-38U RU62 EC1 PROG40-38U RU62 EC1 | SCG40T03UN38U0 |
| 24V50FNEV | 38,000 | 24X50FN1 PROG50-38U RH60 EC1 XG50T06EN38U0 | 9G50-38FN4 12G50-38FN4 6G50-38FN4 | M4-50FN1 PROG50-38U RU60 EC1 | |
| 22VR50FNEV | 38,000 | PRO+G50-38U RH62 EC1 PROG50-38U RH62 EC1 XG50T12HN38U1 XG50T09HN38U1 XG50T06HN38U1 | | PRO+G50-38U RU62 EC1 PROG50-38U RU62 EC1 | |

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
 RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
 LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

**RHEEM SALES COMPANY
 Certified @ 10 ng/J NO_x**

| Certified Base Model | Max. Heat Input Rating (BTU/hr) | Tank Capacity (Gallon) | Certified by Extension Model |
|----------------------|---------------------------------|------------------------|------------------------------|
| Rheem | | | Rheem |
| XG29T06EN30U0 | 30,000 | 29 | XG29T06EN30U* |
| XG40T06EN38U0 | 38,000 | 40 | XG40T06EN38U* |
| XG40T09EN38U0 | | | XG40T09EN38U* |
| XG40T12EN38U0 | | | XG40T12EN38U* |
| XG50T06EN38U0 | | 50 | XG50T06EN38U* |
| XG50T12HN38U1 | | | XG50T12HN38U* |
| XG50T09HN38U1 | | | XG50T09HN38U* |

*additional characters denoting option packages

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
 RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
 LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

**RHEEM SALES COMPANY
 Certified @ 10 ng/J NOx**

| Certified Base Model | Max. Heat Input Rating (BTU/hr) | Certified by Extension Model | |
|------------------------|---------------------------------|------------------------------|--------------------------|
| Rheem | | Rheem | Friedrich |
| PROG40-38U RH62 EC1 | 38,000 | PROG40-38U RH62 EC1 TT | 6PROG 40-38U FD62 EC1 |
| | | | 6PROG 40-38U FD62 EC1 TT |
| PROG50-38U RH60 EC1 | 38,000 | PROG50-38U RH60 EC1 TT | 6PROG 50-38U FD60 EC1 |
| | | | 6PROG 50-38U FD60 EC1 TT |
| PROG29-30U RH63 EC1 | 30,000 | | 6PROG 29-30U FD63 EC1 |
| PROG50S-40U RH60 EC1* | 40,000 | | 6PROG 50S-40U FD60 EC1* |
| PROG39S-38U RH62 EC1* | 38,000 | | 6PROG 39S-38U FD62 EC1* |
| PROP G40-50U RH HE EC3 | 50,000 | | 12PROG 40-50U FD HE EC3 |
| PROP G50-50U RH HE EC3 | 50,000 | | 12PROG 50-50U FD HE EC3 |
| PRO+G40-50U RH HE EC1 | 50,000 | | 8PROG 40-50U FD HE EC1 |
| PRO+G50-50U RH HE EC1 | 50,000 | | 8PROG 50-50U FD HE EC1 |

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

STONE MOUNTAIN TECHNOLOGIES, INC. (SMTI)
(Certified @ 10 ng/J NO_x)

| SMTI | Input (BTU/hr) |
|-------------|---------------------------|
| EX2370 | 6,300 |

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SOUTH COAST AQMD does not endorse or warranty any specific product or manufacturer

Manufacturers Contact Information

| Manufacturer | Contact Name | Phone No. | E-mail |
|------------------------------------|--|--------------------|--|
| American Standard Water Heaters | Mr. Victor Yanez Ms. Clarissa Solis | 800-900-9063 ext 4 | victor.yanez@ariston.com Clarissa.solis@ariston.com |
| A. O. Smith Water Products Company | Mr. Gary Delph | 423-434-1540 | gdelph@hotwater.com |
| Bradford White Corp. | Mr. Eric Truskoski | 269-795-3364 | etruskoski@bradfordwhite.com |
| DongYong Hot Water Systems (DYHOT) | Mr. Antony Hung | 886-4-268-2226 | Antony.hung@dyhot.com.tw |
| Rheem | Mr. Jason Hall | 334-546-5890 | Jason.Hall@rheem.com |
| Stone Mountain Technologies (SMTI) | Mr. Michael Garrabrant | 423-435-7400 | mgarrabrant@stonemnttechnologies.com |

For questions regarding Rule 1121 compliance, please contact:

Area Sources (909) 396-2390

areasources@aqmd.gov

For questions regarding Rule 1121 certification, please contact:

Susan Tsai (909) 396-2529 stsai@aqmd.gov