

Table – 1A

Screening Emission Levels

THESE ARE NOT EMISSION LIMITS. Exceedances of these levels indicate that a screening risk assessment should be performed.

Original Date of Listing	Toxic Air Contaminant	CAS NO	Screening Emission Level (lbs/yr) 25 meters	Screening Emission Level (lbs/yr) 50 meters	Screening Emission Level (lbs/yr) 100 meters
December 7, 1990 <i>September 8, 1998</i>	Acetaldehyde	75-07-0	12.25	32.11	95.70
January 8, 1999	Acetamide	60-35-5	1.65	4.33	12.92
<i>June 15, 2001</i> <b>August 13, 1999</b>	Acrolein	107-02-8	1.98 <b>0.0001 lbs/hr</b>	5.20 <b>0.0002 lbs/hr</b>	15.50 <b>0.0005 lbs/hr</b>
December 7, 1990	Acrylamide (or propenamide)	79-06-1	0.03	0.07	0.20
<b>August 13, 1999</b>	Acrylic acid	79-10-7	<b>3.00 lbs/hr</b>	<b>6.00 lbs/hr</b>	<b>16.06 lbs/hr</b>
December 7, 1990 <i>May 3, 2002</i>	Acrylonitrile (or vinyl cyanide)	107-13-1	0.11	0.30	0.89
January 8, 1999	Allyl chloride	107-05-1	5.51	14.45	43.07
January 8, 1999	Aminoanthraquinone, 2-	117-79-3	0.28	0.73	2.16
<i>August 18, 2000</i> <b>August 13, 1999</b>	Ammonia	7664-41-7	6,610 <b>1.60 lbs/hr</b>	17,300 <b>3.20 lbs/hr</b>	51,700 <b>8.57 lbs/hr</b>
January 8, 1999	Aniline	62-53-3	20.66	54.18	161.50
December 7, 1990 <i>June 15, 2001</i> <b>August 13, 1999</b>	Arsenic and arsenic compounds <sup>1</sup> , inorganic	7440-38-2	0.004 <b>0.0001 lbs/hr</b>	0.01 <b>0.0002 lbs/hr</b>	0.03 <b>0.0005 lbs/hr</b>
<b>August 13, 1999</b>	Arsine	7784-42-1	<b>0.08 lbs/hr</b>	<b>0.16 lbs/hr</b>	<b>0.43 lbs/hr</b>
June 1, 1990	Asbestos	1332-21-4	0.0005	0.001	0.004
June 1, 1990 <i>August 18, 2000</i> <b>August 13, 1999</b>	Benzene (including benzene from gasoline)	71-43-2	1.14 <b>0.739 lbs/hr</b>	2.99 <b>1.48 lbs/hr</b>	8.91 <b>3.96 lbs/hr</b>
December 7, 1990	Benzidine (and its salts)	92-87-5	0.0002	0.0006	0.0018
September 8, 1998 <b>August 13, 1999</b>	Benzyl Chloride	100-44-7	0.67 <b>0.12 lbs/hr</b>	1.77 <b>0.24 lbs/hr</b>	5.27 <b>0.64 lbs/hr</b>
December 7, 1990 <i>May 3, 2002</i>	Beryllium and beryllium compounds <sup>1</sup>	7440-41-7	0.002	0.005	0.016
December 7, 1990	Bis(2-chloroethyl)ether (DCEE)	111-44-4	0.05	0.12	0.36
December 7, 1990	Bis(chloromethyl)ether	542-88-1	0.003	0.007	0.020
September 8, 1998	Bis(2-ethylhexyl)phthalate (DEHP)	117-81-7	14	36	108
December 7, 1990 <i>June 15, 2001</i>	Butadiene, 1,3-	106-99-0	0.19	0.51	1.52
June 1, 1990 <i>June 15, 2001</i>	Cadmium and cadmium compounds <sup>1</sup>	7440-43-9	0.008	0.02	0.06

Table – 1A

Screening Emission Levels

THESE ARE NOT EMISSION LIMITS. Exceedances of these levels indicate that a screening risk assessment should be performed.

Original Date of Listing	Toxic Air Contaminant	CAS NO	Screening Emission Level (lbs/yr) 25 meters	Screening Emission Level (lbs/yr) 50 meters	Screening Emission Level (lbs/yr) 100 meters
August 13, 1999 May 3, 2002	Carbon disulfide	75-15-0	3.52 lbs/hr 26,500	7.04 lbs/hr 69,400	18.86 lbs/hr 207,000
June 1, 1990 June 15, 2001 August 13, 1999	Carbon tetrachloride	56-23-5	0.79  1.08 lbs/hr	2.06  2.16 lbs/hr	6.15  5.78 lbs/hr
June 1, 1990 August 18, 2000	Chlorinated dioxins & dibenzofurans		1.28E-06	3.35E-06	1.00E-05
June 1, 1990 August 18, 2000	Heptachlorodibenzofuran, 1,2,3,4,6,7,8-	67562-39-4	4.35E-04	1.14E-03	3.40E-03
June 1, 1990 August 18, 2000	Heptachlorodibenzofuran, 1,2,3,4,7,8,9-	55673-89-7	4.35E-04	1.14E-03	3.40E-03
June 1, 1990 August 18, 2000	Heptachlorodibenzofuran, Total	38998-75-3	4.35E-04	1.14E-03	3.40E-03
June 1, 1990 August 18, 2000	Heptachlorodibenzo-p-dioxin, 1,2,3,4,6,7,8-	35822-46-9	4.35E-04	1.14E-03	3.40E-03
June 1, 1990 August 18, 2000	Heptachlorodibenzo-p-dioxin, total	37871-00-4	4.35E-04	1.14E-03	3.40E-03
June 1, 1990 August 18, 2000	Hexachlorodibenzofuran, 1,2,3,4,7,8-	70648-26-9	4.35E-05	1.14E-04	3.40E-04
June 1, 1990 August 18, 2000	Hexachlorodibenzofuran, 1,2,3,6,7,8-	57117-44-9	4.35E-05	1.14E-04	3.40E-04
June 1, 1990 August 18, 2000	Hexachlorodibenzofuran, 1,2,3,7,8,9-	72918-21-9	4.35E-05	1.14E-04	3.40E-04
June 1, 1990 August 18, 2000	Hexachlorodibenzofuran, 2,3,4,6,7,8-	60851-34-5	4.35E-05	1.14E-04	3.40E-04
June 1, 1990 August 18, 2000	Hexachlorodibenzofuran, total	55684-94-1	4.35E-05	1.14E-04	3.40E-04
June 1, 1990 August 18, 2000	Hexachlorodibenzo-p-dioxin, 1,2,3,4,7,8-	39227-28-6	4.35E-05	1.14E-04	3.40E-04
June 1, 1990 August 18, 2000	Hexachlorodibenzo-p-dioxin 1,2,3,6,7,8	57653-85-7	4.35E-05	1.14E-04	3.40E-04
June 1, 1990 August 18, 2000	Hexachlorodibenzo-p-dioxin 1,2,3,7,8,9-	19408-74-3	4.35E-05	1.14E-04	3.40E-04
June 1, 1990 August 18, 2000	Hexachlorodibenzo-p-dioxin, total	34465-46-8	4.35E-05	1.14E-04	3.40E-04
June 1, 1990 August 18, 2000	Octachlorodibenzofuran, 1,2,3,4,5,6,7,8-	39001-02-0	9.00E-04	2.30E-03	6.80E-03

Table – 1A

Screening Emission Levels

THESE ARE NOT EMISSION LIMITS. Exceedances of these levels indicate that a screening risk assessment should be performed.

Original Date of Listing	Toxic Air Contaminant	CAS NO	Screening Emission Level (lbs/yr) 25 meters	Screening Emission Level (lbs/yr) 50 meters	Screening Emission Level (lbs/yr) 100 meters
June 1, 1990 <i>August 18, 2000</i>	Octachlorodibenzo-p-dioxin, 1,2,3,4,5,6,7,8-	3268-87-9	9.00E-04	2.30E-03	6.80E-03
June 1, 1990 <i>August 18, 2000</i>	Pentachlorodibenzofuran, 1,2,3,7,8-	57117-41-6	2.56E-06	6.71E-06	2.00E-05
June 1, 1990 <i>August 18, 2000</i>	Pentachlorodibenzofuran, 2,3,4,7,8-	57117-31-4	2.56E-07	6.71E-07	2.00E-06
June 1, 1990 <i>August 18, 2000</i>	Pentachlorodibenzofuran, Total	30402-15-4	2.56E-07	6.71E-07	2.00E-06
June 1, 1990 <i>August 18, 2000</i>	Pentachlorodibenzo-p-dioxin 1,2,3,7,8-	40321-76-4	2.56E-07	6.71E-07	2.00E-06
June 1, 1990 <i>August 18, 2000</i>	Pentachlorodibenzo-p-dioxin, total	36088-22-9	2.56E-07	6.71E-07	2.00E-06
June 1, 1990 <i>August 18, 2000</i>	Tetrachlorodibenzofuran, 2,3,7,8-	51207-31-9	1.28E-06	3.35E-06	1.00E-05
June 1, 1990 <i>August 18, 2000</i>	Tetrachlorodibenzofuran, Total	55722-27-5	1.28E-06	3.35E-06	1.00E-05
June 1, 1990 <i>August 18, 2000</i>	Tetrachlorodibenzo-p-dioxin 2,3,7,8-	1746-01-6	1.28E-07	3.35E-07	1.00E-06
June 1, 1990 <i>August 18, 2000</i>	Tetrachlorodibenzo-p-dioxin, total	41903-57-5	1.28E-07	3.35E-07	1.00E-06
<i>August 18, 2000</i> <b>August 13, 1999</b>	Chlorine	7782-50-5	6.61 <b>0.11 lbs/hr</b>	17.3 <b>0.21 lbs/hr</b>	51.7 <b>0.56 lbs/hr</b>
<i>June 15, 2001</i>	Chlorine dioxide	10049-04-4	19.8	52	155
<i>June 15, 2001</i>	Chlorobenzene	108-99-7	11,800	31,000	92,300
January 8, 1999	Chloro-o-phenylenediamine, 4-	95-83-0	7.19	18.85	56.17
January 8, 1999	Chloro-o-toluidine, p-	95-69-2	0.43	1.13	3.36
December 7, 1990 <i>August 18, 2000</i> <b>August 13, 1999</b>	Chloroform	67-66-3	6.24 <b>0.09 lbs/hr</b>	16.36 <b>0.17 lbs/hr</b>	48.75 <b>0.46 lbs/hr</b>
September 8, 1998	Chlorophenols	96000			
	Pentachlorophenol	87-86-5	1.62	4.25	12.7
December 7, 1990	Trichlorophenol, 2,4,6	88-06-2	0.46	1.20	3.59
<b>August 13, 1999</b> <i>May 3, 2002</i>	Chloropicrin	76-06-2	<b>0.015lbs/hr</b> 13.2	<b>0.029 lbs/hr</b> 34.7	<b>0.078 lbs/hr</b> 103

Table – 1A

Screening Emission Levels

THESE ARE NOT EMISSION LIMITS. Exceedances of these levels indicate that a screening risk assessment should be performed.

Original Date of Listing	Toxic Air Contaminant	CAS NO	Screening Emission Level (lbs/yr) 25 meters	Screening Emission Level (lbs/yr) 50 meters	Screening Emission Level (lbs/yr) 100 meters
June 1, 1990 <i>June 15, 2001</i>	Chromium, hexavalent	18540-29-9	0.0002	0.0006	0.0018
<i>June 15, 2001</i>	Chromic trioxide (as chromic acid mist)	1333-82-0	0.07	0.17	0.52
<b>August 13, 1999</b>	Copper and copper compounds <sup>1</sup>	7440-50-8	<b>0.05 lbs/hr</b>	<b>0.10 lbs/hr</b>	<b>0.27 lbs/hr</b>
January 8, 1999	Cresidine, p-	120-71-8	0.77	2.02	6.01
<i>June 15, 2001</i>	Cresol mixtures Cresol, m- Cresol, o- Cresol, p-	1319-77-3 08-39-4 95-48-7 106-44-5	19,800	52,000	155,000
January 8, 1999	Cupferron	135-20-6	0.52	1.38	4.10
January 8, 1999	Diaminoanisole, 2,4- (sulfate)	615-05-4	5.01	13.14	39.15
January 8, 1999	Diaminotoluene, 2,4-	95-80-7	0.03	0.08	0.23
September 8, 1998	Dibromo-3-chloropropane, 1,2- (DBCP)	96-12-8	0.02	0.04	0.13
September 8, 1998 <i>June 15, 2001</i>	Dichlorobenzene, 1,4- (or p-dichlorobenzene)	106-46-7	0.75	1.97	5.87
December 7, 1990	Dichlorobenzidine, 3,3-	91-94-1	0.097	0.26	0.76
January 8, 1999	Dichloroethane, 1,1-	75-34-3	21	54	162
<i>June 15, 2001</i>	Dichloroethylene 1,1-	73-35-4	2,310	6,070	18,100
<i>May 3, 2002</i>	Diethanolamine	111-42-2	99.2	260	775
January 8, 1999	Dimethylaminoazobenzene, p-	60-11-7	0.03	0.07	0.20
<i>June 15, 2001</i>	Dimethylformamide N,N-	68-12-2	2,650	6,940	20,700
December 7, 1990	Dinitrotoluene, 2,4-	121-14-2	0.37	0.97	2.90
December 7, 1990 <i>August 20, 2000</i>	Dioxane, 1,4-	123-91-1	4.29	11.26	33.56
<b>August 13, 1999</b>			<b>1.5 lbs/hr</b>	<b>3.0 lbs/hr</b>	<b>8.0 lbs/hr</b>
December 7, 1990	Diphenylhydrazine (or hydrazobenzene)	12-2-66-7	0.15	0.39	1.17
December 7, 1990 <i>June 15, 2001</i>	Epichlorohydrin	106-89-8	1.44	3.77	11.23
<b>August 13, 1999</b>			<b>0.65 lbs/hr</b>	<b>1.30 lbs/hr</b>	<b>3.48 lbs/hr</b>
<i>June 15, 2001</i>	Epoxybutane (1,2-)	106-88-7	661	1,730	5,170
<i>August 18, 2000</i>	Ethyl benzene	100-41-4	66,100	173,000	517,000
<i>August 18, 2000</i>	Ethyl chloride	75-00-3	992,000	2,600,000	7,750,000

Table – 1A

Screening Emission Levels

THESE ARE NOT EMISSION LIMITS. Exceedances of these levels indicate that a screening risk assessment should be performed.

Original Date of Listing	Toxic Air Contaminant	CAS NO	Screening Emission Level (lbs/yr) 25 meters	Screening Emission Level (lbs/yr) 50 meters	Screening Emission Level (lbs/yr) 100 meters
June 1, 1990 May 3, 2002	Ethylene dibromide	106-93-4	0.47	1.22	3.64
June 1, 1990 June 15, 2001	Ethylene dichloride (or 1,2-dichloroethane)	107-06-2	1.50	3.94	11.74
August 18, 2000	Ethylene glycol	107-21-1	13,200	37,400	103,000
August 18, 2000 February 10, 1999	Ethylene glycol ethyl ether	110-80-5	2,310 <b>0.21 lbs/hr</b>	6,070 <b>0.42 lbs/hr</b>	18,100 <b>1.13 lbs/hr</b>
August 13, 1999	Ethylene glycol monobutyl ether	111-76-2	<b>7.00 lbs/hr</b>	<b>14.00 lbs/hr</b>	<b>37.48 lbs/hr</b>
August 18, 2000 August 13, 1999	Ethylene glycol monoethyl ether acetate	111-15-9	9,920 <b>0.08 lbs/hr</b>	26,000 <b>0.16 lbs/hr</b>	77,500 <b>0.43 lbs/hr</b>
August 18, 2000 August 13, 1999	Ethylene glycol monomethyl ether	109-86-4	1,980 <b>0.05 lbs/hr</b>	5,200 <b>0.11 lbs/hr</b>	15,500 <b>0.28 lbs/hr</b>
August 18, 2000	Ethylene glycol monomethyl ether acetate	110-49-6	2,980	7,800	23,300
June 1, 1990 June 15, 2001	Ethylene oxide	75-21-8	0.38	0.99	2.94
January 8, 1999	Ethylene thiourea	96-45-7	2.54	6.67	19.88
December 7, 1990 August 18, 2000 August 13, 1999	Formaldehyde	50-00-0	5.51 <b>0.05 lbs/hr</b>	14.45 <b>0.09 lbs/hr</b>	43.07 <b>0.25 lbs/hr</b>
June 15, 2001	Glutaraldehyde	111-30-8	2.65	6.94	20.7
December 7, 1990	Hexachlorobenzene	118-74-1	0.007	0.02	0.05
December 7, 1990	Hexachlorocyclohexane: technical grade	608-73-1	0.008	0.02	0.06
September 8, 1998	gamma- (lindane)	58-89-9	0.03	0.07	0.21
August 18, 2000	Hexane (n-)	110-54-3	231,000	607,000	1,810,000
September 8, 1998 June 15, 2001	Hydrazine	302-01-2	0.007	0.02	0.05
August 18, 2000 August 13, 1999	Hydrogen chloride (hydrochloric acid)	7647-01-0	298 <b>1.05 lbs/hr</b>	780 <b>2.10 lbs/hr</b>	2,330 <b>5.62 lbs/hr</b>
August 18, 2000 August 13, 1999	Hydrogen cyanide (hydrocyanic acid)	74-90-8	298 <b>0.17 lbs/hr</b>	780 <b>0.34 lbs/hr</b>	2,330 <b>0.91 lbs/hr</b>
August 13, 1999	Hydrogen fluoride (hydrofluoric acid)	7664-39-3	<b>0.12 lbs/hr</b>	<b>0.24 lbs/hr</b>	<b>0.64 lbs/hr</b>
August 13, 1999	Hydrogen selenide	7783-07-5	<b>0.003 lbs/hr</b>	<b>0.005 lbs/hr</b>	<b>0.013 lbs/hr</b>

Table – 1A

Screening Emission Levels

THESE ARE NOT EMISSION LIMITS. Exceedances of these levels indicate that a screening risk assessment should be performed.

Original Date of Listing	Toxic Air Contaminant	CAS NO	Screening Emission Level (lbs/yr) 25 meters	Screening Emission Level (lbs/yr) 50 meters	Screening Emission Level (lbs/yr) 100 meters
August 18, 2000 February 10, 1999	Hydrogen sulfide	7783-06-4	331 <b>0.021 lbs/hr</b>	867 <b>0.042 lbs/hr</b>	2,850 <b>0.112 lbs/hr</b>
May 3, 2002	Isophorone	78-59-1	66,100	173,000	517,000
August 18, 2000 August 13, 1999	Isopropyl alcohol	67-63-0	231,000 <b>1.6 lbs/hr</b>	607,000 <b>3.20 lbs/hr</b>	1,810,000 <b>8.57 lbs/hr</b>
September 8, 1998	Lead and lead compounds <sup>1</sup> (inorganic, including elemental lead) including, but not limited to:	7439-92-1	2.76	7.22	21.53
September 8, 1998	Lead compounds (inorganic)		1	1	1
September 8, 1998	Lead compounds (other than inorganic)		1	1	1
September 8, 1998	Lead acetate	301-04-2	1	1	1
September 8, 1998	Lead chromate	7758-97-6	1	1	1
September 8, 1998	Lead phosphate	7446-27-7	1	1	1
September 8, 1998	Lead subacetate	1335-32-6	1	1	1
May 3, 2002	Maleic anhydride	108-31-6	23.1	60.7	181
August 18, 2000	Manganese and manganese compounds*	7439-96-5	6.61	17.3	51.7
August 18, 2000 August 13, 1999	Mercury and mercury compounds* (inorganic)	7439-97-6	1.86 <b>0.0009 lbs/hr</b>	4.88 <b>0.0018 lbs/hr</b>	14.5 <b>0.0048 lbs/hr</b>
	Mercuric chloride	7487-94-7	1	1	1
	Methyl mercury	593-74-8	1	1	1
August 18, 2000 August 13, 1999	Methanol	67-56-1	132,000 <b>14.00 lbs/hr</b>	347,000 <b>27.98 lbs/hr</b>	1,030,000 <b>74.97 lbs/hr</b>
August 18, 2000 August 13, 1999	Methyl bromide	74-83-9	165 <b>1.95 lbs/hr</b>	433 <b>3.90 lbs/hr</b>	1,290 <b>10.44 lbs/hr</b>
August 18, 2000 August 13, 1999	Methyl chloroform (1,1,1 TCA)	71-55-6	33,100 <b>34.00 lbs/hr</b>	86,700 <b>67.96 lbs/hr</b>	258,000 <b>182.06 lbs/hr</b>
August 13, 1999	Methyl ethyl ketone	78-93-3	<b>6.50 lbs/hr</b>	<b>12.99 lbs/hr</b>	<b>34.81 lbs/hr</b>
May 3, 2002	Methyl isocyanate	624-83-9	33.1	86.7	258
January 8, 1999	Methylene bis(2-chloroaniline), 4,4- (MOCA)	101-14-4	0.08	0.20	0.60
June 1, 1990 August 18, 2000 August 13, 1999	Methylene chloride	75-09-2	33.06 <b>7.00 lbs/hr</b>	86.69 <b>13.99 lbs/hr</b>	258.40 <b>37.48 lbs/hr</b>

Table – 1A

Screening Emission Levels

THESE ARE NOT EMISSION LIMITS. Exceedances of these levels indicate that a screening risk assessment should be performed.

Original Date of Listing	Toxic Air Contaminant	CAS NO	Screening Emission Level (lbs/yr) 25 meters	Screening Emission Level (lbs/yr) 50 meters	Screening Emission Level (lbs/yr) 100 meters
September 8, 1998 <i>May 3, 2002</i>	Methylene dianiline, 4,4'- (and its dichloride)	101-77-9	0.072	0.189	0.562
<i>June 15, 2001</i>	Methylene phenyl diisocyanate	101-68-8	23.1	60.7	181
<i>August 18, 2000</i>	Methyl t-butyl ether	1634-04-4	265,000	694,000	2,070,000
January 8, 1999	Michler's ketone	90-94-8	0.13	0.35	1.03
<i>August 18, 2000</i>	Naphthalene	91-20-3	298	780	2,330
March 12, 1999 <i>August 18, 2000</i> <b>August 13, 1999</b>	Nickel and nickel compounds <sup>1</sup> including but not limited to:	7440-02-0	0.13	0.33	0.99
March 12, 1999 <i>August 18, 2000</i> <b>August 13, 1999</b>	Nickel acetate	373-02-4	<b>0.003 lbs/hr</b> 1	<b>0.006 lbs/hr</b> 1	<b>0.016 lbs/hr</b> 1
March 12, 1999 <i>August 18, 2000</i> <b>August 13, 1999</b>	Nickel carbonate	3333-67-3	1	1	1
March 12, 1999 <i>August 18, 2000</i> <b>August 13, 1999</b>	Nickel carbonyl	13463-39-3	1	1	1
March 12, 1999 <i>August 18, 2000</i> <b>August 13, 1999</b>	Nickel hydroxide	12054-48-7	1	1	1
March 12, 1999 <i>August 18, 2000</i> <b>August 13, 1999</b>	Nickelocene	1271-28-9	1	1	1
March 12, 1999 <i>August 18, 2000</i> <b>August 13, 1999</b>	Nickel oxide	1313-99-1	1	1	1
December 7, 1990 <i>August 18, 2000</i> <b>August 13, 1999</b>	Nickel refinery dust from the pyrometallurgical process		0.13	0.33	0.99
December 7, 1990 <i>August 18, 2000</i> <b>August 13, 1999</b>	Nickel subsulfide	120-35-72-2	<b>0.003 lbs/hr</b> 1	<b>0.006 lbs/hr</b> 1	<b>0.016 lbs/hr</b> 1
<b>August 13, 1999</b>	Nitric acid	7697-37-2	<b>0.04 lbs/hr</b>	<b>0.09 lbs/hr</b>	<b>0.23 lbs/hr</b>

Table – 1A

Screening Emission Levels

THESE ARE NOT EMISSION LIMITS. Exceedances of these levels indicate that a screening risk assessment should be performed.

Original Date of Listing	Toxic Air Contaminant	CAS NO	Screening Emission Level (lbs/yr) 25 meters	Screening Emission Level (lbs/yr) 50 meters	Screening Emission Level (lbs/yr) 100 meters
December 7, 1990	N-Nitroso- Compounds				
December 7, 1990	n-Nitroso-n-ethylurea	759-73-9	0.001	0.003	0.008
December 7, 1990	n-Nitroso-n-methylurea	684-93-5	0.0003	0.0007	0.0020
December 7, 1990	n-Nitrosodi-n-butylamine	924-16-3	0.0001	0.0002	0.0006
December 7, 1990	n-Nitrosodiethylamine	55-18-5	0.001	0.002	0.007
December 7, 1990	n-Nitrosodimethylamine	62-75-9	0.002	0.005	0.014
December 7, 1990	n-Nitrosodiphenylamine	86-30-6	3.18	8.34	24.85
September 8, 1998	n-Nitrosodiphenylamine,	156-10-5	1.54	4.05	12.06
September 8, 1998	p- n-Nitrosodi-n- propylamine,n-	621-64-7	0.004	0.011	0.03
September 8, 1998	Nitrosomethylethylamine, n-	10595-95-6	0.001	0.003	0.010
January 8, 1999	Nitrosomorpholine, n-	59-89-2	0.017	0.046	0.136
January 8, 1999	Nitrosopiperidine, n-	100-75-4	0.012	0.032	0.096
December 7, 1990	N-Nitrosopyrrolidine	930-55-2	0.01	0.04	0.11
January 8, 1999	Paraffins, chlorinated (average chain length, c12; approx. 60% Cl by weight)	108171-26-2	1.32	3.47	10.34
September 8, 1998 <i>September 8, 1998</i> <b>August 13, 1999</b>	Perchloroethylene (or tetrachloroethylene)	127-18-4	5.60 <b>10.00 lbs/hr</b>	14.69 <b>19.99 lbs/hr</b>	43.80 <b>53.55 lbs/hr</b>
<i>August 18 2000</i> <b>August 13, 1999</b>	Phenol	108-95-2	6,610 <b>2.90 lbs/hr</b>	17,300 <b>5.80 lbs/hr</b>	51,700 <b>15.53 lbs/hr</b>
<b>August 13, 1999</b>	Phosgene	75-44-5	<b>0.002 lbs/hr</b>	<b>0.004 lbs/hr</b>	<b>0.011 lbs/hr</b>
<i>February 7, 2003</i>	Phosphine	7803-51-2	26.5	69.4	207
<i>August 18, 2000</i>	Phosphoric acid	7664-38-2	231	607	1,810
<i>June 15, 2001</i>	Phthalic anhydride	85-44-9	661	1,730	5,170
December 7, 1990	Polynuclear Aromatic Hydrocarbons (PAHs):				
December 7, 1990	Benz[a]anthracene	56-55-3	0.024	0.062	0.185
December 7, 1990	Benzo[a]pyrene	50-32-8	0.002	0.006	0.019
December 7, 1990	Benzo[b]fluoranthene	205-99-2	0.024	0.062	0.185
January 8, 1999	Benzo[j]fluoranthene	205-82-3	0.024	0.062	0.185
December 7, 1990	Benzo[k]fluoranthene	207-08-9	0.024	0.062	0.185
December 7, 1990	Chrysene	218-01-9	0.24	0.62	1.85
January 8, 1999	Dibenz[a,h]acridine	226-36-8	0.24	0.06	0.19



Table – 1A

Screening Emission Levels

THESE ARE NOT EMISSION LIMITS. Exceedances of these levels indicate that a screening risk assessment should be performed.

Original Date of Listing	Toxic Air Contaminant	CAS NO	Screening Emission Level (lbs/yr) 25 meters	Screening Emission Level (lbs/yr) 50 meters	Screening Emission Level (lbs/yr) 100 meters
January 8, 1999	Dibenz[a,j]acridine	224-42-0	0.24	0.06	0.19
December 7, 1990	Dibenzo[a,h]anthracene <sup>2</sup>	53-70-3	0.002 <sup>2</sup>	0.006 <sup>2</sup>	0.017 <sup>2</sup>
January 8, 1999	Dibenzo[a,e]pyrene	192-65-4	0.002	0.006	0.019
January 8, 1999	Dibenzo[a,h]pyrene	189-64-0	0.0002	0.0006	0.0018
January 8, 1999	Dibenzo[a,i]pyrene	189-55-9	0.0002	0.0006	0.0018
January 8, 1999	Dibenzo[a,l]pyrene	191-30-0	0.0002	0.0006	0.0018
January 8, 1999	Dibenzo[c,g]carbazole, 7h-	194-59-2	0.002	0.006	0.019
January 8, 1999	Dimethylbenz[a]anthracene, 7,12- <sup>2</sup>	57-97-6	3.70E-05 <sup>2</sup>	9.69E-05 <sup>2</sup>	2.89E-04 <sup>2</sup>
January 8, 1999	Dinitropyrene, 1,6-	42397-64-8	0.0002	0.0006	0.0018
January 8, 1999	Dinitropyrene, 1,8-	42397-65-9	0.002	0.006	0.019
December 7, 1990	Indenopyrene	193-39-5	0.035	0.092	0.273
January 8, 1999	Methylcholanthrene, 3- <sup>2</sup>	56-49-5	4.13E-04 <sup>2</sup>	1.08E-03 <sup>2</sup>	3.23E-03 <sup>2</sup>
January 8, 1999	Methylchrysene, 5-	3697-24-3	0.002	0.006	0.019
January 8, 1999	Nitroacenaphthene, 5- <sup>2</sup>	602-87-9	0.063 <sup>2</sup>	0.165 <sup>2</sup>	0.492 <sup>2</sup>
January 8, 1999	Nitrochrysene, 6-	7496-02-8	0.0002	0.0006	0.0018
January 8, 1999	Nitrofluorene, 2-	607-57-8	0.24	0.62	1.85
January 8, 1999	Nitropyrene, 1-	5522-43-0	0.024	0.062	0.185
January 8, 1999	Nitropyrene, 4-	57835-92-4	0.024	0.062	0.185
September 8, 1998	Polycyclic aromatic hydrocarbons (PAHs), total with individual compounds		0.002	0.006	0.019
September 8, 1998	Polycyclic aromatic hydrocarbons (PAHs), total w/o individual compounds		0.002	0.006	0.019
December 7, 1990	Polychlorinated biphenyls (PCBs)	1336-36-3	0.002	0.006	0.019
January 8, 1999	Potassium bromate	7758-01-2	0.24	0.62	1.85
January 8, 1999	Propane sultone, 1,3-	1120-71-4	0.05	0.13	0.38
August 18, 2000	Propylene	115-07-1	99,200	260,000	775,000
August 18, 2000	Propylene glycol monomethyl ether	107-98-2	231,000	607,000	1,810,000
September 8, 1998 February 23, 2000 August 13, 1999	Propylene oxide (or 1,2-epoxy propane)	75-56-9	8.94  <b>1.55 lbs/hr</b>	23.43  <b>3.10 lbs/hr</b>	69.84  <b>8.30 lbs/hr</b>

### Screening Emission Levels

THESE ARE NOT EMISSION LIMITS. Exceedances of these levels indicate that a screening risk assessment should be performed.

Original Date of Listing	Toxic Air Contaminant	CAS NO	Screening Emission Level (lbs/yr) 25 meters	Screening Emission Level (lbs/yr) 50 meters	Screening Emission Level (lbs/yr) 100 meters	
<i>May 3, 2002</i>	Selenium and selenium compounds, other than hydrogen selenide	7782-49-2	661	1,730	5,170	
<b>August 13, 1999</b>	Sodium hydroxide	1310-73-2	<b>0.004 lbs/hr</b>	<b>0.008 lbs/hr</b>	<b>0.021 lbs/hr</b>	
<i>August 18, 2000</i>	Styrene	100-42-5	29,800	78,000	233,000	
<b>August 13, 1999</b>			<b>10.50 lbs/hr</b>	<b>20.99 lbs/hr</b>	<b>56.22 lbs/hr</b>	
<b>August 13, 1999</b>	Sulfuric acid and oleum	7664-93-9	<b>0.06 lbs/hr</b>	<b>0.12 lbs/hr</b>	<b>0.32 lbs/hr</b>	
<i>May 3, 2002</i>			33.1	86.7	258	
January 8, 1999	Tetrachloroethane 1,1,2,2-	79-34-5	0.57	1.50	4.46	
January 8, 1999	Thioacetamide	62-55-5	0.02	0.05	0.15	
<i>August 18, 2000</i>	Toluene	108-88-3	9,920	26,000	77,500	
<b>August 13, 1999</b>			<b>18.50 lbs/hr</b>	<b>36.98 lbs/hr</b>	<b>99.06 lbs/hr</b>	
September 8, 1998	Toluene diisocyanate: toluene-2,4-diisocyanate toluene-2,6-diisocyanate	584-84-9	2.31	6.07	18.1	
<i>June 15, 2001</i>		91-08-7	2.31	6.07	18.1	
<i>June 15, 2001</i>						
January 8, 1999	Trichloroethane, 1,1,2-	79-00-5	2.07	5.42	16.15	
December 7, 1990	Trichloroethylene	79-01-6	16.53	43.35	129.20	
<i>August 18, 2000</i>	Triethylamine	121-44-8	6,610	17,300	51,700	
<b>February 7, 2003</b>			<b>1.40 lbs/hr</b>	<b>2.80 lbs/hr</b>	<b>7.50 lbs/hr</b>	
September 8, 1998	Urethane (or ethyl carbamate)	51-79-6	0.11	0.30	0.89	
<b>August 13, 1999</b>	Vanadium pentoxide	1314-62-1	<b>0.015 lbs/hr</b>	<b>0.030 lbs/hr</b>	<b>0.080 lbs/hr</b>	
<i>May 3, 2002</i>	Vinyl acetate	108-05-4	6,610	17,300	51,700	
December 7, 1990	Vinyl chloride	75-01-4	0.42	1.11	3.31	
<b>August 13, 1999</b>			<b>90.00 lbs/hr</b>	<b>179.89 lbs/hr</b>	<b>481.93 lbs/hr</b>	
<i>August 18, 2000</i>	Xylenes (isomers and mixtures) xylene, m-  xylene, o-  xylene, p-	1330-20-7	23,100	60,700	181,000	
<b>August 13, 1999</b>			<b>11.00 lbs/hr</b>	<b>21.99 lbs/hr</b>	<b>58.90 lbs/hr</b>	
		108-38-3	23,100	60,700	181,000	
				<b>11.00 lbs/hr</b>	<b>21.99 lbs/hr</b>	<b>58.90 lbs/hr</b>
		95-47-6	23,100	60,700	181,000	
			<b>11.00 lbs/hr</b>	<b>21.99 lbs/hr</b>	<b>58.90 lbs/hr</b>	
		106-42-3	23,100	60,700	181,000	
			<b>11.00 lbs/hr</b>	<b>21.99 lbs/hr</b>	<b>58.90 lbs/hr</b>	

Notes:

The original dates of listing for chronic values are denoted in italics.

The original dates of listing for acute values are denoted in bold and their screening values are in units of lbs/hour.

**Tables Effective for Applications Deemed Complete on or after February 7, 2003 through May 1, 2003**

---

<sup>1</sup>For metal compounds, use the corresponding risk values from Table 8 and apply the metal fractions in the substances.

Example 1: For Nickel Acetate, use the corresponding risk value for nickel from Table 8 and apply nickel fraction in the substance.

$$\text{Nickel} = (59 \text{ lb of Ni} / 249 \text{ lb of Ni}(\text{OOCCH}_3)_2 \cdot 4\text{HOH}) \times 100 = 23.7\%$$

Example 2: For Lead Chromate, use the corresponding risk values for Lead and Chromium from Table 8 and apply metal equivalents for each metal obtained from the following for:

$$\text{Lead} = (207 \text{ lb Pb} / 323 \text{ lb PbCrO}_4) \times 100 = 64.1\%$$

$$\text{Chromium (hexavalent)} = (52 \text{ lb Cr} / 323 \text{ lb PbCrO}_4) \times 100 = 16.1\%$$

<sup>2</sup>Screening values for dibenz[a,h]anthracene; dimethylbenzanthracene 7,12; methylcholanthrene -3; and Nitroacenaphthene -5 were corrected on May 3, 2002.

Table – 1B

**DRY CLEANING LOOK-UP TABLE (residential receptor)**  
**Dry Cleaning Screening Levels**  
 (gallons per month, includes disposal losses  
 adjusted for meteorological station)

*Assumptions:*

- *The screening levels below represent a cancer risk of less than 10-in-one-million*
- *Building Dimensions - 40 ft x 40 ft x 15 ft (height).*
- *General Ventilation with 60% captures efficiency.*
- *A dry cleaning machine with primary and secondary controls.*
- *Usage includes perc lost through sludge and filter disposal.*
- *Operating hours are 8 hours per day, 5 days per week; 52 weeks per year.*

For any change in above conditions, e.g., bigger building, no fan or vent, greater perc loss through sludge and filter disposal, the applicant is entitled to proceed to Tier 4 (refined risk assessment).

Meteorological Station	MET factor	(gallons per month)				
		25m	50m	75m	100m	150m
Pomona, Santa Ana Canyon, West Los Angeles	1.00	1.0	2.7	5.6	9.7	21.0
Anaheim, La Habra Malibu, Redlands, Riverside	0.90	1.1	3.0	6.2	10.7	23.4
Azusa, Costa Mesa, Fontana, Indio, La Canada, Norco, Pasadena, Reseda	0.80	1.2	3.4	7.0	12.1	26.3
Canoga Park, Compton, El Toro, King Harbor, Lennox, Los Alamitos, Lynwood, Pico Rivera, Walnut, Whittier, Upland	0.70	1.4	3.8	8.0	13.8	30.0
Banning, Burbank, Downtown Los Angeles, Long Beach, Newhall, Palm Springs, Vernon	0.60	1.6	4.5	9.3	16.1	35.0

Table updated and effective 1/1/03.

**DRY CLEANING LOOK-UP TABLE (occupational receptor)**

**Dry Cleaning Screening Levels**  
(gallons per month, includes disposal losses  
adjusted for meteorological station)

*Assumptions:*

- *The screening levels below represent a cancer risk of less than 10-in-one-million*
- *Building Dimensions - 40 ft x 40 ft x 15 ft (height).*
- *General Ventilation with 60% captures efficiency.*
- *A dry cleaning machine with primary and secondary controls.*
- *Usage includes perc lost through sludge and filter disposal.*
- *Operating hours are 8 hours per day, 5 days per week; 52 weeks per year.*

For any change in above conditions, e.g., bigger building, no fan or vent, greater perc loss through sludge and filter disposal, the applicant is entitled to proceed to Tier 4 (refined risk assessment).

Meteorological Station	MET factor	(gallons per month)				
		25m	50m	75m	100m	150m
Pomona, Santa Ana Canyon, West Los Angeles	1.00	1.5	4.1	8.5	14.7	32.0
Anaheim, La Habra Malibu, Redlands, Riverside	0.90	1.7	4.6	9.4	16.3	35.6
Azusa, Costa Mesa, Fontana, Indio, La Canada, Norco, Pasadena, Reseda	0.80	1.9	5.1	10.6	18.4	40.0
Canoga Park, Compton, El Toro, King Harbor, Lennox, Los Alamitos, Lynwood, Pico Rivera, Walnut, Whittier, Upland	0.70	2.1	5.9	12.1	21.0	45.7
Banning, Burbank, Downtown Los Angeles, Long Beach, Newhall, Palm Springs, Vernon	0.60	2.5	6.8	14.2	24.5	53.3

Table updated and effective 1/1/03.

**Table – 2A**

**Point Source  
Operating 12 hours/Day or Less**

Carcinogenic and Chronic X/Q Values ( $[\mu\text{g}/\text{m}^3]/[\text{tons}/\text{yr.}]$ )

Stack Height (ft)	Downwind Distance (meters)							
	25	50	75	100	200	300	500	1000
≥ 14 to 24	51.18	16.88	7.89	4.51	1.14	0.50	0.18	0.05
> 24 to 49	19.14	12.74	6.94	4.19	1.12	0.50	0.18	0.05
> 49	5.13	5.13	4.31	3.08	0.97	0.45	0.16	0.04

**Table – 2B**

**Meteorological Correction Factors (MET)**

<u>STATION</u>	<u>MET</u>	<u>STATION</u>	<u>MET</u>
Anaheim	0.84	Lynwood	0.58
Azusa	0.77	Malibu	0.84
Banning	0.52	Newhall	0.50
Burbank	0.57	Norco	0.73
Canoga Park	0.65	Palm Springs	0.55
Compton	0.63	Pasadena	0.74
Costa Mesa	0.69	Pico Rivera	0.70
Downtown L.A.	0.51	Pomona	0.86
El Toro	0.65	Redlands	0.86
Fontana	0.77	Reseda	0.68
Indio	0.69	Riverside	0.82
King Harbor	0.60	Santa Ana Canyon	0.89
La Canada	0.73	Upland	0.60
La Habra	0.78	Vernon	0.54
Lancaster	0.47	Walnut	0.60
Lennox	0.67	West L.A.	1.00
Long Beach	0.59	Whittier	0.63
Los Alamitos	0.60		

**Table – 3A**

**Point Source  
Operating More Than 12 hours/day**

Carcinogenic and Chronic X/Q Values ( $[\mu\text{g}/\text{m}^3]/[\text{tons}/\text{yr.}]$ )

Stack Height (ft)	Downwind Distance (meters)							
	25	50	75	100	200	300	500	1000
≥ 14 to 24	49.68	23.07	12.50	7.74	2.24	1.06	0.42	0.12
> 24 to 49	10.70	10.70	7.46	5.32	1.92	0.97	0.40	0.12
> 49	2.38	2.38	2.38	2.12	1.27	0.75	0.33	0.10

**Table – 3B**

**Meteorological Correction Factors (MET)**

<u>STATION</u>	<u>MET</u>	<u>STATION</u>	<u>MET</u>
Anaheim	0.69	Lynwood	0.68
Azusa	0.64	Malibu	0.84
Banning	0.63	Newhall	0.92
Burbank	0.64	Norco	0.60
Canoga Park	0.71	Palm Springs	0.88
Compton	0.60	Pasadena	0.88
Costa Mesa	0.69	Pico Rivera	0.68
Downtown L.A.	0.60	Pomona	1.28
El Toro	0.65	Redlands	1.74
Fontana	1.19	Reseda	0.64
Indio	0.60	Riverside	0.81
King Harbor	0.53	Santa Ana Canyon	0.80
La Canada	1.33	Upland	0.71
La Habra	0.78	Vernon	0.92
Lancaster	0.76	Walnut	0.71
Lennox	0.68	West L.A.	1.00
Long Beach	1.00	Whittier	0.55
Los Alamitos	0.69		

**Table – 4A**

**Volume Source  
Operating 12 hours/day or Less**

Carcinogenic and Chronic X/Q Values ( $[\mu\text{g}/\text{m}^3]/[\text{tons}/\text{yr.}]$ )

Source Dimensions		Downwind Distance (meters)							
Area (ft <sup>2</sup> )	Height (ft)	25	50	75	100	200	300	500	1000
< 3,000	≤ 20	41.45	13.68	6.70	3.95	1.06	0.48	0.17	0.04
3,000 to 10,000	≤ 20	36.93	12.83	6.41	3.82	1.04	0.47	0.17	0.04
3,000 to 10,000	> 20	26.52	10.54	5.58	3.44	0.98	0.46	0.17	0.04
>10,000 to 30,000	> 20	21.59	9.51	5.20	3.26	0.96	0.46	0.17	0.04
> 30,000	> 20	-	8.19	4.65	2.98	0.91	0.43	0.16	0.04

**Table – 4B**

**Meteorological Correction Factors (MET)**

<u>STATION</u>	<u>MET</u>	<u>STATION</u>	<u>MET</u>
Anaheim	0.86	Lynwood	0.63
Azusa	0.80	Malibu	0.88
Banning	0.54	Newhall	0.53
Burbank	0.60	Norco	0.75
Canoga Park	0.68	Palm Springs	0.60
Compton	0.63	Pasadena	0.75
Costa Mesa	0.71	Pico Rivera	0.70
Downtown L.A.	0.51	Pomona	0.91
El Toro	0.68	Redlands	0.90
Fontana	0.80	Reseda	0.71
Indio	0.72	Riverside	0.82
King Harbor	0.63	Santa Ana Canyon	0.92
La Canada	0.76	Upland	0.62
La Habra	0.81	Vernon	0.55
Lancaster	0.49	Walnut	0.63
Lennox	0.66	West L.A.	1.00
Long Beach	0.58	Whittier	0.66
Los Alamitos	0.64		



**Table – 5A**

**Volume Source  
Operating More Than 12 hours/day**

Carcinogenic and Chronic X/Q Values ( $[\mu\text{g}/\text{m}^3]/[\text{tons}/\text{yr.}]$ )

Source Dimensions		Downwind Distance (meters)							
Area (ft <sup>2</sup> )	Height(ft)	25	50	75	100	200	300	500	1000
< 3,000	≤ 20	60.49	22.40	11.68	7.18	2.12	1.02	0.41	0.12
3,000 to 10,000	≤ 20	55.80	21.35	11.30	7.01	2.09	1.01	0.40	0.12
3,000 to 10,000	> 20	35.18	15.50	8.87	5.78	1.89	0.94	0.39	0.12
>10,000 to 30,000	> 20	29.58	14.43	8.41	5.55	1.85	0.93	0.39	0.12
> 30,000	> 20	--	13.05	7.81	5.22	1.79	0.91	0.38	0.12

**Table – 5B**

**Meteorological Correction Factors (MET)**

<u>STATION</u>	<u>MET</u>	<u>STATION</u>	<u>MET</u>
Anaheim	0.56	Lynwood	0.69
Azusa	0.64	Malibu	0.86
Banning	0.65	Newhall	0.93
Burbank	0.66	Norco	0.58
Canoga Park	0.73	Palm Springs	0.89
Compton	0.55	Pasadena	0.91
Costa Mesa	0.63	Pico Rivera	0.66
Downtown L.A.	0.63	Pomona	1.27
El Toro	0.66	Redlands	1.76
Fontana	1.22	Reseda	0.59
Indio	0.56	Riverside	0.78
King Harbor	0.46	Santa Ana Canyon	0.81
La Canada	1.34	Upland	0.76
La Habra	0.79	Vernon	0.91
Lancaster	0.78	Walnut	0.74
Lennox	0.66	West L.A.	1.00
Long Beach	0.99	Whittier	0.53
Los Alamitos	0.73		

**Table – 6**

**Dispersion Factors For Acute Hazard Index (X/Qhr)**

Point Sources  
 All Daily Operating Conditions  
 X/Qhr Values ( $[\mu\text{g}/\text{m}^3]/[\text{lbs}/\text{hr}]$ )

Stack Height (ft)	Downwind Distance (meters)							
	25	50	75	100	200	300	500	1000
≥ 14 to 24	2000.0	1000.6	577.9	373.5	119.2	59.8	25.4	8.4
> 24 to 49	548.1	548.1	406.0	295.2	109.6	57.1	24.8	8.3
> 49	110.1	110.1	103.8	92.4	67.3	42.9	20.6	7.2

**Table – 7**

**Dispersion Factors For Acute Hazard Index (X/Qhr)**

Volume Sources  
 All Daily Operating Conditions  
 X/Qhr Values ( $[\mu\text{g}/\text{m}^3]/[\text{lbs}/\text{hr}]$ )

Source Dimensions		Downwind Distance (meters)							
Area (ft <sup>2</sup> )	Height(ft)	25	50	75	100	200	300	500	1000
< 3,000	≤ 20	1532.1	773.2	463.1	309.0	106.3	55.2	24.1	8.2
3,000 to 10,000	≤ 20	1103.1	613.9	387.7	267.5	98.0	52.2	23.3	8.0
3,000 to 10,000	> 20	646.2	416.9	288.5	211.2	86.4	48.0	22.2	7.9
> 10,000 to 30,000	> 20	439	309.4	226.4	172.2	76.3	44.0	21.1	7.7
> 30,000	> 20	-	213.8	164.9	130.5	63.5	38.3	19.3	7.3

Table – 8A

**Unit Risk Factor (U), Reference Exposure Level (REL) and Multi Pathway Adjustment Factors (MP)**

Toxic Air Contaminant	Unit Risk Factor	MP (MICR)	REL (Chronic)	MP (Chronic)	(Acute)	
					REL	Avg Hrs
Acetaldehyde	2.70E-06	1.00	9.00E+00	1.00		
Acetamide	2.00E-05	1.00				
Acrolein			6.00E-02	1.00	1.90E-01	1
Acrylamide (or propenamide)	1.30E-03	1.00				
Acrylic acid					6.00E+03	1
Acrylonitrile (or vinyl cyanide)	2.90E-04	1.00	5.00E+00	1.00		1
Allyl chloride	6.00E-06	1.00				
Aminoanthraquinone, 2-	9.40E-06	12.70				
Ammonia			2.00E+02	1.00	3.20E+03	1
Aniline	1.60E-06	1.00				
Arsenic	3.30E-03	2.70	3.00E-02	5.7	1.90E-01	4
Arsenic compounds (inorganic)	3.30E-03	2.70	3.00E-02	5.7	1.90E-01	4
Arsine					1.60E+02	1
Asbestos	6.30E-02	1.00				
Benzene (including benzene from gasoline)	2.90E-05	1.00	6.00E+01	1.00	1.30E+03	6
Benzidine (and it salts)	1.40E-01	1.00				
Benzyl chloride	4.90E-05	1.00			2.40E+02	1
Beryllium (and beryllium compounds)	2.40E-03	6.90	7.00E-03	1.00		
Bis(2-chloroethyl)ether (DCEE)	7.10E-04	1.00				
Bis(chloromethyl)ether	1.30E-02	1.00				
Bis(2-ethylhexyl)phthalate (DEHP)	2.40E-06	1.00				
Butadiene, 1,3-	1.70E-04	1.00	2.00E+01	1.00		
Cadmium and cadmium compounds	4.20E-03	1.00	2.00E-02	16.00		
Carbon disulfide			8.00E+02	1.0	6.20E+03	6
Carbon tetrachloride	4.20E-05	1.00	4.00E+01	1.00	1.90E+03	7
Chlorinated dioxins & dibenzofurans	3.80E+00	6.80	4.00E-05	82.00		
Heptachlorodibenzofuran, 1,2,3,4,6,7,8-	3.80E-01	1.00	4.00E-03	82.00		
Heptachlorodibenzofuran, 1,2,3,4,7,8,9-	3.80E-01	1.00	4.00E-03	82.00		
Heptachlorodibenzofuran, total	3.80E-01	1.00	4.00E-03	82.00		
Heptachlorodibenzo-p-dioxin, 1,2,3,4,6,7,8-	3.80E-01	1.00	4.0E-03	82.00		
Heptachlorodibenzo-p-dioxin, total	3.80E-01	1.00	4.00E-03	82.00		

Table – 8A

**Unit Risk Factor (U), Reference Exposure Level (REL) and Multi Pathway Adjustment Factors (MP)**

Toxic Air Contaminant	Unit Risk Factor	MP (MICR)	REL (Chronic)	MP (Chronic)	(Acute)	
					REL	Avg Hrs
Hexachlorodibenzofuran, 1,2,3,4,7,8-	3.80E+00	1.00	4.00E-04	82.00		
Hexachlorodibenzofuran, 1,2,3,6,7,8-	3.80E+00	1.00	4.00E-04	82.00		
Hexachlorodibenzofuran, 1,2,3,7,8,9-	3.80E+00	1.00	4.00E-04	82.00		
Hexachlorodibenzofuran, 2,3,4,6,7,8-	3.80E+00	1.00	4.00E-04	82.00		
Hexachlorodibenzofuran, total	3.80E+00	1.00	4.00E-04	82.00		
Hexachlorodibenzo-p-dioxin, 1,2,3,4,7,8-	3.80E+00	1.00	4.00E-04	82.00		
Hexachlorodibenzo-p-dioxin, 1,2,3,6,7,8-	3.80E+00	1.00	4.00E-04	82.00		
Hexachlorodibenzo-p-dioxin, 1,2,3,7,8,9-	3.80E+00	1.00	4.00E-04	82.00		
Hexachlorodibenzo-p-dioxin, total	3.80E+00	1.00	4.00E-04	82.00		
Octachlorodibenzofuran, 1,2,3,4,5,6,7,8-	3.80E-02	1.00	4.00E-02	82.00		
Octachlorodibenzo-p-dioxin, 1,2,3,4,5,6,7,8-	3.80E-02	1.00	4.00E-02	82.00		
Pentachlorodibenzofuran, 1,2,3,7,8-	1.90E+00	6.80	8.00E-04	82.40		
Pentachlorodibenzofuran, 2,3,4,7,8-	1.90E+01	6.80	8.00E-05	82.40		
Pentachlorodibenzofuran, total	1.90E+01	6.80	8.00E-05	82.40		
Pentachlorodibenzo-p-dioxin, 1,2,3,7,8-	1.90E+01	6.80	8.00E-05	82.40		
Pentachlorodibenzo-p-dioxin, total	1.90E+01	6.80	8.00E-05	82.40		
Tetrachlorodibenzofuran, 2,3,7,8-	3.80E+00	6.80	4.00E-04	82.00		
Tetrachlorodibenzofuran, total	3.80E+00	6.80	4.00E-04	82.00		
Tetrachlorodibenzo-p-dioxin, 2,3,7,8-	3.80E+01	6.80	4.00E-05	82.00		
Tetrachlorodibenzo-p-dioxin, total	3.80E+01	6.80	4.00E-05	82.00		
Chlorine			2.00E-01	1.00	2.10E+02	1
Chlorine dioxide			6.00E-01	1.00		
Chlorobenzene			1.00E+03	2.80		
Chloro-o-phenylenediamine, 4-	4.60E-06	1.00				
Chloro-o-toluidine, p-	7.70E-05	1.00				
Chloroform	5.30E-06	1.00	3.00E+02	1.00	1.50E+02	7
Chlorophenols						
Pentachlorophenol	5.10E-06	4.00				
Trichlorophenol, 2,4,6-	2.00E-05	3.60				
Chloropicrin			4.00E-01	1.00	2.90E+01	1
Chromic trioxide (as chromic mist)			2.00E-03	1.00		

Table – 8A

**Unit Risk Factor (U), Reference Exposure Level (REL) and Multi Pathway Adjustment Factors (MP)**

Toxic Air Contaminant	Unit Risk Factor	MP (MICR)	REL (Chronic)	MP (Chronic)	(Acute)	
					REL	Avg Hrs
Chromium, hexavalent	1.50E-01	1.01	2.00E-01	1.00		
Copper and copper compounds					1.00E+02	1
Cresidine, p-	4.30E-05	1.00				
Cresol mixtures			6.00E+02	1.00		
Cresol, m-			6.00E+02	1.00		
Cresol, o-			6.00E+02	1.00		
Cresol, p-			6.00E+02	1.00		
Cupferron	6.30E-05	1.00				
Diaminoanisole, 2,4- (sulfate)	6.60E-06	1.00				
Diaminotoluene, 2,4-	1.10E-03	1.00				
Dibromo-3-chloropropane, 1,2- (DBCP)	2.00E-03	1.00				
Dichlorobenzene, p- (or 1,4-dichlorobenzene)	1.10E-05	4.00	8.00E+02	1.00		
Dichlorobenzidine, 3,3-	3.40E-04	1.00				
Dichloroethane, 1,1-	1.60E-06	1.00				
Dichloroethylene, 1,1-			7.00E+01	1.00		
Diethanolamine			3.00E+00	1.00		
Dimethylaminoazobenzene, p-	1.30E-03	1.00				
Dimethylformamide (N,N-)			8.00E+01	1.00		
Dinitrotoluene, 2,4-	8.90E-05	1.00				
Dioxane, 1,4-	7.70E-06	1.00	3.00E+3	1.00	3.00E+03	1
Diphenylhydrazine (or hydrazobenzene)	3.40E-04	1.00				
Epichlorohydrin	2.30E-05	1.00	3.00E+00	1.00	1.30E+03	1
Epoxybutane (1,2-)			2.00E+01	1.00		
Ethyl benzene			2.0E+03	1.00		
Ethyl chloride			3.00E+04	1.00		
Ethylene dibromide	7.10E-05	1.00	8.00E-01	1.00		
Ethylene dichloride (or 1,2-dichloroethane)	2.20E-05	1.00	4.00E+02	1.00		
Ethylene glycol			4.00E+02	1.00		
Ethylene glycol ethyl ether (EGEE)			7.00E+01	1.00	3.70E+02	6
Ethylene glycol monobutyl ether					1.40E+04	1
Ethylene glycol monoethyl ether acetate			3.0E+02	1.00	1.40E+02	6

Table – 8A

**Unit Risk Factor (U), Reference Exposure Level (REL) and Multi Pathway Adjustment Factors (MP)**

Toxic Air Contaminant	Unit Risk Factor	MP (MICR)	REL (Chronic)	MP (Chronic)	(Acute)	
					REL	Avg Hrs
Ethylene glycol monomethyl ether			6.0E+01	1.00	9.30E+01	6
Ethylene glycol monomethyl ether acetate			9.0E+01	1.00		
Ethylene oxide	8.80E-05	1.00	3.00E+01	1.00		
Ethylene thiourea	1.30E-05	1.00				
Formaldehyde	6.00E-06	1.00	3.0E+00	1.00	9.40E+01	1
Glutaraldehyde			8.00E-02	1.00		
Hexachlorobenzene	5.10E-04	9.40				
Hexachlorocyclohexanes:						
technical grade	1.10E-03	4.00				
gamma- (lindane)	3.10E-04	4.00				
Hexane (n-)			7.00E+03	1.00		
Hydrazine	4.90E-03	1.00	2.00E-01	1.00		
Hydrogen chloride (hydrochloric acid)			9.00E+00	1.00	2.10E+03	1
Hydrogen cyanide (hydrocyanic acid)			9.00E+00	1.00	3.40E+02	1
Hydrogen fluoride (hydrofluoric acid)					2.40E+02	1
Hydrogen selenide					5.00E+00	1
Hydrogen sulfide			1.00E+01	1.00	4.20E+01	1
Isophorone			2.00E+03	1.00		
Isopropyl alcohol			7.00E+03	1.00	3.20E+03	1
Lead and lead compounds (inorganic, including elemental lead), including but not limited to:	1.20E-05	1.00				
Lead compounds, inorganic	1.20E-05	1.00				
Lead compounds (other than inorganic)	1.20E-05	1.00				
Lead acetate	1.20E-05	1.00				
Lead chromate	*	*				
Lead phosphate	1.20E-05	1.00				
Lead subacetate	1.20E-05	1.00				
Maleic anhydride			7.00E-01	1.00		
Manganese and manganese compounds			2.00E-01	1.00		

Table – 8A

**Unit Risk Factor (U), Reference Exposure Level (REL) and Multi Pathway Adjustment Factors (MP)**

Toxic Air Contaminant	Unit Risk Factor	MP (MICR)	REL (Chronic)	MP (Chronic)	(Acute)	
					REL	Avg Hrs
Mercury and mercury compounds (inorganic) Mercuric chloride Methyl mercury			9.00E-02	1.60	1.80E+00	1
Methanol			4.00E+03	1.00	2.80E+04	1
Methyl bromide			5.00E+00	1.00	3.90E+03	1
Methyl chloroform (1,1,1 TCA)			1.00E+03	1.00	6.80E+04	1
Methyl ethyl ketone					1.30E+04	1
Methyl isocyanate			1.00E+00	1.00		
Methylene bis(2-chloroaniline), 4,4- (MOCA)	4.30E-04	1.00				
Methylene chloride	1.00E-06	1.00	4.00E+02	1.00	1.40E+04	1
Methylene dianiline, 4,4'- (and its dichloride)	4.60E-04	1.00	2.00E+01	1.00		
Methylene phenyl diisocyanate			7.00E-01	1.00		
Methyl t-butyl ether			8.00E+03	1.00		
Michler's ketone	2.50E-04	1.00				
Naphthalene			9.00E+00	1.00		
Nickel & nickel compounds including but not limited to:	2.60E-04	1.00	5.0E-02	1.00	6.00E+00	1
Nickel acetate	2.60E-04	1.00	5.0E-02	1.00	6.00E+00	1
Nickel carbonate	2.60E-04	1.00	5.0E-02	1.00	6.00E+00	1
Nickel carbonyl	2.60E-04	1.00	5.0E-02	1.00	6.00E+00	1
Nickel hydroxide	2.60E-04	1.00	5.0E-02	1.00	6.00E+00	1
Nickelocene	2.60E-04	1.00	5.0E-02	1.00	6.00E+00	1
Nickel oxide	2.60E-04	1.00	1.00E-01	1.00	6.00E+00	1
Nickel refinery dust from the pyrometallurgical process	2.60E-04	1.00	5.0E-02	1.00	6.00E+00	1
Nickel subsulfide	2.60E-04	1.00	5.0E-02	1.00	6.00E+00	1
Nitric acid					8.60E+01	1
N-Nitroso- Compounds:						
n-Nitroso-n-ethylurea	7.70E-03	4.00				
n-Nitroso-n-methylurea	3.30E-02	4.00				

Table – 8A

**Unit Risk Factor (U), Reference Exposure Level (REL) and Multi Pathway Adjustment Factors (MP)**

Toxic Air Contaminant	Unit Risk Factor	MP (MICR)	REL (Chronic)	MP (Chronic)	(Acute)	
					REL	Avg Hrs
n-Nitrosodi-n-butylamine	3.10E-03	4.00				
n-Nitrosodiethylamine	1.00E-02	4.00				
n-Nitrosodimethylamine	4.60E-03	4.00				
n-Nitrosodiphenylamine	2.60E-06	4.00				
n-Nitrosodiphenylamine, p-	6.30E-06	3.40				
n-Nitrosodi-n-propylamine	2.00E-03	4.00				
Nitrosomethylethylamine, n-	6.30E-03	4.00				
Nitrosomorpholine, n-	1.90E-03	1.00				
Nitrosopiperidine, n-	2.70E-03	1.00				
n-Nitrosopyrrolidine	6.00E-04	4.00				
Paraffins, chlorinated (average chain length, c12; approx. 60% Cl by weight)	2.50E-05	1.00				
Perchloroethylene (or tetrachloroethylene)	5.90E-06	1.00	3.50E+01	1.00	2.00E+04	1
Phenol			2.00E+02	1.00	5.80E+03	1
Phosgene					4.00E+00	1
Phosphine			8.00E-01	1.00		
Phosphoric acid			7.00E+00	1.00		
Phthalic anhydride			2.00E+01	1.00		
Polycyclic Aromatic Hydrocarbons (PAHs):	1.10E-03	12.70				
Benz[a]anthracene	1.10E-04	12.70				
Benzo[a]pyrene	1.10E-03	12.70				
Benzo[b]fluoranthene	1.10E-04	12.70				
Benzo[j]fluoranthene	1.10E-04	12.70				
Benzo[k]fluoranthene	1.10E-04	12.70				
Chrysene	1.10E-05	12.70				
Dibenz[a,h,]acridine	1.10E-04	12.70				
Dibenz[a,j]acridine	1.10E-04	12.70				
Dibenz[a,h]anthracene <sup>2</sup>	1.20E-03	12.70				
Dibenzo[a,e]pyrene	1.10E-03	12.70				
Dibenzo[a,h]pyrene	1.10E-02	12.70				
Dibenzo[a,i]pyrene	1.10E-02	12.70				



Table – 8A

**Unit Risk Factor (U), Reference Exposure Level (REL) and Multi Pathway Adjustment Factors (MP)**

Toxic Air Contaminant	Unit Risk Factor	MP (MICR)	REL (Chronic)	MP (Chronic)	(Acute)	
					REL	Avg Hrs
Dibenzo[a,l]pyrene	1.10E-02	12.70				
Dibenzo[c,g]carbazole, 7h-	1.10E-03	12.70				
Dimethylbenz[a]anthracene, 7,12- <sup>2</sup>	7.10E-02	12.60				
Dinitropyrene, 1,6-	1.10E-02	12.70				
Dinitropyrene, 1,8-	1.10E-03	12.70				
Indenopyrene	1.10E-04	12.70				
Methylcholanthrene, 3- <sup>2</sup>	6.30E-03	12.70				
Methylchrysene, 5-	1.10E-03	12.70				
Nitroacenaphthene, 5- <sup>2</sup>	3.70E-05	14.20				
Nitrochrysene, 6-	1.10E-02	12.70				
Nitrofluorene, 2-	1.10E-05	12.70				
Nitropyrene, 1-	1.10E-04	12.70				
Nitropyrene, 4-	1.10E-04	12.70				
PAHs, total, w/o individual compounds	1.10E-03	12.70				
PAHs, total, with individual compounds	1.10E-03	12.70				
Polychlorinated biphenyls (PCBs)	5.70E-04	24.00				
Potassium bromate	1.40E-04	1.00				
Propane sultone, 1,3-	6.90E-04	1.00				
Propylene			3.00E+03	1.00		
Propylene glycol monomethyl ether			7.00E+03	1.00		
Propylene oxide (or 1,2-epoxy propane)	3.70E-06	1.00	3.00E+01	1.00	3.10E+03	1
Selenium and selenium compounds, other than hydrogen selenide			2.00E+01	1.00		
Sodium hydroxide					8.00E+00	1
Styrene			9.00E+02	1.00	2.10E+04	1
Sulfuric acid and oleum			1.00E+00	1.00	1.20E+02	1
Tetrachloroethane 1,1,2,2-	5.80E-05	1.00				
Thioacetamide	1.70E-03	1.00				
Toluene			3.00E+02	1.00	3.70E+04	1
Toluene-2,4-diisocyanate	1.10E-05	1.00	7.00E-02	1.00		
Toluene-2,6-diisocyanate	1.10E-05	1.00	7.00E-02	1.00		
Trichloroethane, 1,1,2-	1.60E-05	1.00				

Tables Effective for Applications Deemed Complete on or after February 7, 2003 through May 1, 2003

Toxic Air Contaminant	Unit Risk Factor	MP (MICR)	REL (Chronic)	MP (Chronic)	(Acute)	
					REL	Avg Hrs
Trichloroethylene	2.00E-06	1.00	6.00E+02	1.00		
Triethylamine			2.00E+02	1.00	2.80E+03	1
Urethane (or ethyl carbamate)	2.90E-04	1.00				
Vanadium pentoxide					3.00E+01	1
Vinyl acetate			2.00E+02	1.00		
Vinyl chloride	7.80E-05	1.00			1.80E+05	1
Xylenes (isomers and mixtures)			7.00E+02	1.00	2.20E+04	1
xylene, m-			7.00E+02	1.00	2.20E+04	1
xylene, o-			7.00E+02	1.00	2.20E+04	1
xylene, p-			7.00E+02	1.00	2.20E+04	1

<sup>1</sup>For Lead Chromate, use the corresponding risk values for Lead and Chromium and apply metal equivalents for each metal obtained from the following for:

$$\text{Lead} = (207 \text{ lb Pb} / 323 \text{ lb PbCrO}_4) \times 100 = 64.1\%$$

$$\text{Chromium (hexavalent)} = (52 \text{ lb Cr} / 323 \text{ lb PbCrO}_4) \times 100 = 16.1\%$$

<sup>2</sup>Unit Risk Factors for dibenz[a,h]anthracene; dimethylbenzanthracene 7,12; methylcholanthrene -3; and Nitroacenaphthene -5 were corrected on May 3, 2002.

Table – 8B

**Adjustment Factors (AF) for Compounds With REL Averaged Over 4, 6, and 7 Hours  
Point Source**

<u>STATION</u>	<u>4 HRS</u>	<u>6 or 7 HRS</u>	<u>STATION</u>	<u>4 HRS</u>	<u>6 or 7 HRS</u>
Anaheim	0.93	0.77	Lynwood	0.87	0.79
Azusa	0.78	0.59	Malibu	0.86	0.69
Banning	0.85	0.71	Newhall	0.87	0.77
Burbank	0.94	0.84	Norco	0.81	0.75
Canoga Park	0.97	0.75	Palm Springs	0.75	0.69
Compton	0.92	0.67	Pasadena	0.93	0.87
Costa Mesa	0.87	0.88	Pico Rivera	0.84	0.85
Downtown L.A.	0.80	0.84	Pomona	0.94	0.78
El Toro	0.98	0.77	Redlands	0.97	0.88
Fontana	0.92	0.78	Reseda	0.95	0.72
Indio	0.70	0.54	Riverside	0.81	0.83
King Harbor	0.70	0.62	Santa Ana Canyon	0.84	0.71
La Canada	0.94	0.91	Upland	0.84	0.72
La Habra	0.85	0.82	Vernon	0.81	0.61
Lancaster	0.83	0.68	Walnut	0.78	0.74
Lennox	0.91	0.66	West L.A.	0.92	0.83
Long Beach	0.89	0.73	Whittier	0.97	0.66
Los Alamitos	0.84	0.72			

Table – 8C

**Adjustment Factors (AF) for Compounds With REL Averaged Over 4, 6, and 7 Hours  
Volume Source**

<u>STATION</u>	<u>4 HRS</u>	<u>6 or 7 HRS</u>	<u>STATION</u>	<u>4 HRS</u>	<u>6 or 7 HRS</u>
Anaheim	0.95	0.81	Lynwood	0.91	0.85
Azusa	0.86	0.77	Malibu	0.90	0.76
Banning	0.88	0.75	Newhall	0.91	0.82
Burbank	0.96	0.88	Norco	0.86	0.79
Canoga Park	0.98	0.83	Palm Springs	0.79	0.74
Compton	0.94	0.71	Pasadena	0.98	0.91
Costa Mesa	0.98	0.98	Pico Rivera	0.96	0.90
Downtown L.A.	0.86	0.88	Pomona	0.96	0.87
El Toro	0.98	0.89	Redlands	0.98	0.92
Fontana	0.94	0.84	Reseda	0.96	0.77
Indio	0.74	0.59	Riverside	0.89	0.88
King Harbor	0.78	0.70	Santa Ana Canyon	0.88	0.84
La Canada	0.98	0.94	Upland	0.87	0.80
La Habra	0.93	0.89	Vernon	0.85	0.67
Lancaster	0.96	0.73	Walnut	0.93	0.72
Lennox	0.94	0.77	West L.A.	0.95	0.88
Long Beach	0.92	0.87	Whittier	0.98	0.78
Los Alamitos	0.87	0.80			

Table – 9

**Lifetime Exposure Adjustment (LEA) Factors**

Type of Receptor	LEA Factor
Sensitive	1.0
Residential	1.0
Off-site Worker	0.14, if permit unit operates 24 hr/day, 365 days/yr 0.66, if permit unit does not operate 24 hr/day, 365 days/yr

When performing a screening risk assessment for offsite worker receptors, only 0.14 and 0.66 may be used for the LEA. Do not prorate for other operating schedules.

Table – 10A

**Target Organs Affected by Toxic Air Contaminants (Chronic Toxicity)**

Toxic Air Contaminant	CV/BL	CNS/ PNS	ENDO	EYE	IMMUN	KIDN	ALIMEN (GI/LV)	REPR	RESP	SKIN
Acetaldehyde									X	
Acrylonitrile									X	
Acrolein				X					X	
Ammonia									X	
Arsenic	X	X						X		
Benzene	X	X						X		
Beryllium and beryllium compounds					X				X	
Butadiene								X		
Cadmium						X			X	
Carbon disulfide		X						X		
Carbon tetrachloride		X					X	X		
Chlorine									X	
Chlorine dioxide									X	
Chlorobenzene						X	X	X		
Chloroform						X	X	X		
Chloropicrin									X	
Chlorinated dioxins & dibenzofurans	X		X				X	X	X	
Chromic trioxide (as chromic acid mist)									X	
Chromium, hexavalent									X	
Cresol mixtures		X								
Dichlorobenzene		X				X	X		X	
Dichloroethylene							X			
Diethanolamine	X	X								
Dimethylformamide							X		X	
Dioxane	X					X	X			

Table – 10A (continued)

Target Organs Affected by Toxic Air Contaminants (Chronic Toxicity)

Toxic Air Contaminant	CV/BL	CNS/ PNS	ENDO	EYE	IMMUN	KIDN	ALIMEN (GI/LV)	REPR	RESP	SKIN
Epichlorhydrin				x					x	
Epoxybutane (1,2-)	x								x	
Ethyl benzene			x			x	x	x		
Ethyl chloride							x	x		
Ethylene dibromide								x		
Ethylene dichloride							x			
Ethylene glycol						x		x	x	
Ethylene glycol ethyl ether	x							x		
Ethylene glycol monoethyl ether acetate								x		
Ethylene glycol monomethyl ether								x		
Ethylene glycol monomethyl ether acetate								x		
Ethylene oxide		x								
Formaldehyde				x					x	
Glutaraldehyde									x	
Hexane (n-)		x								
Hydrazine			x				x			
Hydrogen chloride (hydrochloric acid)									x	
Hydrogen cyanide	x	x	x							
Hydrogen sulfide									x	
Isophorone							x	x		
Isopropanol						x		x		
Maleic anhydride									x	
Manganese and manganese compounds		x								
Mercury & mercury compounds (inorganic)		x								
Methanol								x		
Methyl bromide		x						x	x	
Methyl chloroform (1,1,1 TCA)		x								
Methyl isocyanate								x	x	
Methyl t-butyl ether				x		x	x			
Methylene chloride	x	x								
Methylene dianiline				x			x			
Methylene diphenyl isocyanate									x	
Naphthalene									x	
Nickel & nickel compounds (except nickel oxide)	x								x	

Table – 10A (continued)

**Target Organs Affected by Toxic Air Contaminants (Chronic Toxicity)**

Toxic Air Contaminant	CV/BL	CNS/ PNS	ENDO	EYE	IMMUN	KIDN	ALIMEN (GI/LV)	REPR	RESP	SKIN
Nickel oxide	x								x	
Perchloroethylene						x	x		x	
Phenol	x	x				x	x			
Phosphine	x	x				x	x		x	
Phosphoric acid									x	
Phthalic anhydride									x	
Propylene									x	
Propylene glycol monomethyl ether							x			
Propylene oxide									x	
Selenium and selenium compounds	x	x					x			
Styrene		x								
Sulfuric acid and oleum									x	
Toluene		x						x	x	
Toluene diisocyanates (2,4- & 2,6-)									x	
Trichloroethylene		x		x						
Triethylamine				x						
Vinyl acetate									x	
Xylenes isomers and mixtures)		x							x	
xylene, o-		x							x	
xylene, m-		x							x	
xylene, p-		x							x	

CV/BL: Cardiovascular or blood system  
 CNS/PNS: Central or peripheral nervous system  
 ENDO: Endocrine system  
 EYE: Eye  
 IMMUN: Immune system  
 KIDN: Kidney  
 ALIMEN (GI/LV): Alimentary system (Gastrointestinal system and liver)  
 RESP: Respiratory system  
 REPR: Reproductive system/Development  
 SKIN: Skin

Table – 10B

**Target Organs Affected by Toxic Air Contaminants (Acute Toxicity)**

Toxic Air Contaminant	CV/BL	CNS/PNS	EYE	IMMUN	KIDN	GI/LV	REPR	RESP	SKIN
Acrolein			x					x	
Acrylic acid			x					x	
Ammonia			x					x	
Arsenic and arsenic compounds (inorganic)							x		
Arsine	x								
Benzene	x			x			x		
Benzyl chloride			x					x	
Carbon disulfide		x					x		
Carbon tetrachloride		x				x	x		
Chlorine			x					x	
Chloroform		x					x		
Chloropicrin			x					x	
Copper and copper compounds								x	
1,4,-dioxane			x					x	
Epichlorohydrin			x					x	
Ethylene glycol ethyl ether							x		
Ethylene glycol monobutyl ether			x					x	
Ethylene glycol monoethyl ether acetate		x					x		
Ethylene glycol monomethyl ether							x		
Ethylene glycol monomethyl ether acetate		x					x		
Formaldehyde			x	x				x	
Hydrogen chloride (hydrochloric acid)			x					x	
Hydrogen cyanide (hydrocyanic acid)		x							
Hydrogen fluoride (hydrofluoric acid)			x					x	
Hydrogen selenide			x					x	
Hydrogen sulfide								x	
Isopropyl alcohol			x					x	
Mercury and compounds (inorganic)							x		
Methanol		x							
Methyl bromide		x					x	x	
Methyl chloroform (1,1,1-TCA)		x							
Methyl ethyl ketone			x					x	
Methylene chloride		x							



Table – 10B (continued)

**Target Organs Affected by Toxic Air Contaminants (Acute Toxicity)**

Toxic Air Contaminant	CV/BL	CNS/PNS	EYE	IMMUN	KIDN	GI/LV	REPR	RESP	SKIN
Nickel and nickel compounds				x				x	
Nitric acid								x	
Perchloroethylene		x	x					x	
Phenol			x					x	
Phosgene								x	
Propylene oxide			x				x	x	
Sodium hydroxide			x					x	x
Styrene			x					x	
Sulfuric acid and oleum								x	
Toluene		x	x				x	x	
Triethylamine		x	x						
Vanadium pentoxide			x					x	
Vinyl chloride		x	x					x	
Xylenes isomers and mixtures)			x					x	
xylene, o-			x					x	
xylene, m-			x					x	
xylene, p-			x					x	

CV/BL: Cardiovascular or blood system

CNS/PNS: Central or peripheral nervous system

EYE: Eye (this category added for August amendments due to OEHHA classifications)

IMMUN: Immune system

KIDN: Kidney

GI/LV: Gastrointestinal system and liver

RESP: Respiratory system

REPR: Reproductive system/Development

SKIN: Skin

Table – 11

**Meteorological Monitoring Stations in the South Coast Air Basin**

STATION	UTM (KM) E-W	UTM (KM) N-S	LONGITUDE	LATITUDE
Anaheim	415.0	3742.5	117:55:07	33:49:16
Azusa	414.9	3777.4	117:55:23	34:08:09
Banning	510.5	3754.4	116:53:11	33:55:58
Burbank	379.5	3783.0	118:18:27	34:10:58
Canoga Park	352.9	3786.0	118:35:48	34:12:23
Compton	385.5	3750.3	118:14:17	33:53:19
Costa Mesa	413.8	3724.2	117:55:47	33:39:21
Downtown LA	386.9	3770.1	118:13:31	34:04:02
El Toro	436.0	3720.9	117:41:25	33:37:39
Fontana	455.4	3773.9	117:29:01	34:06:24
Indio	572.3	3731.0	116:13:11	33:43:06
King Harbor	371.2	3744.4	118:23:30	33:30:00
La Canada	388.2	3786.1	118:12:49	34:12:42
La Habra	412.0	3754.0	117:57:07	33:55:28
Lancaster	396.0	3839.5	118:08:08	34:41:38
Lennox (Hawthorne)	373.0	3755.0	118:22:26	33:55:46
Long Beach	390.0	3743.0	118:11:19	33:49:24
Los Alamitos	404.5	3739.8	118:01:54	33:47:45
Lynwood	388.0	3754.0	118:12:42	33:55:20
Malibu	344.0	3766.9	118:41:23	34:01:59
Newhall	355.5	3805.5	118:31:02	34:22:59
Norco	446.8	3749.0	117:34:31	33:52:54
Palm Springs	542.5	3742.5	116:32:27	33:49:25
Pasadena	396.0	3778.5	118:07:41	34:08:38
Pico Rivera	402.3	3764.1	118:03:29	34:00:53
Pomona	430.8	3769.6	117:44:60	34:03:60
Redlands	486.2	3769.4	117:09:00	34:04:00
Reseda	359.0	3785.0	118:31:49	34:11:54
Riverside	464.8	3758.6	117:22:50	33:58:10
Santa Ana Canyon	431.0	3748.4	117:44:46	33:52:32
Upland	440.0	3773.1	117:39:02	34:05:55
Vernon	387.4	3762.5	118:13:10	33:59:55
Walnut	420.0	3761.7	117:51:58	33:59:41
West LA	372.3	3768.6	118:23:01	34:03:08
Whittier	405.5	3754.0	118:01:28	33:55:26

Figure 1

Meteorological Monitoring Stations in the South Coast Air Basin

